



*City of*  
**Edwardsville**  
*Third Oldest City in Illinois*

**PUBLIC SAFETY COMMITTEE AGENDA**

**EDWARDSVILLE CITY HALL  
118 HILLSBORO AVENUE  
EDWARDSVILLE, IL 62025**

**TUESDAY, JULY 25, 2023  
5:30 P.M.**

Committee Members

Chris Farrar, Chair

SJ Morrison

Andrea Miracle

---

**Call to Order**

**Roll (Quorum)**

**Public Comment:**

**Approval of Minutes:**

- Approval of Public Safety Committee minutes held Tuesday, June 27, 2023

**Police Department:**

Action Item(s):

- Approval of a Resolution Authorizing Purchase of Four (4) 2023 Ford Explorer Police Interceptor from Morrow Brothers Ford, Inc., and Associated Equipment Not To Exceed \$211,395.73

**Fire Department:**

Action Item(s):

- Approval of a Resolution Amending the Fee Schedule for the City Of Edwardsville
- Approval of a Resolution Authorizing The Purchase of One (1) Traumahawk X-Series Aluminum Type I Custom Ambulance and Associated Equipment in an Amount Not To Exceed \$360,000.00

Informational Item(s):

- Staffing Update
- Inspections

**Old Business:**

**New Business:**

**Next Meeting Date:** Tuesday, August 8, 2023 at 5:30 p.m. held at City Hall, located at 118 Hillsboro Avenue, Edwardsville, IL 62025

*If prospective attendees require an interpreter or other access accommodation, please contact the Edwardsville City Clerk's office at 618-692-7500 no later than 48 hours prior to the commencement of the meeting to arrange the accommodations.*

# Public Safety Committee

## Meeting Minutes

### June 27, 2023

Members Present: Alderman Chris Farrar  
Alderman SJ Morrison  
Alderwoman Andrea Miracle

Other Present: James Whiteford, Fire Chief  
Mike Fillback, Director of Police  
Cathy Hensley, Communication Coordinator

The Edwardsville Public Safety Committee meeting was called to order by Alderman Chris Farrar at 5:36 p.m. in the Governor Edwards Conference Room, 118 Hillsboro Avenue with a quorum present: Alderman Chris Farrar, Alderman SJ Morrison and Alderwoman Andrea Miracle.

#### **Public Comment:**

#### **Approval of Minutes:**

- Motion by Alderman Farrar, second by Alderman Morrison to approve minutes from the Public Safety Committee meeting held Tuesday, June 27, 2023. Motion carried, Farrar, Morrison and Miracle voted aye.

#### **Police Department:**

##### Action Item(s):

- Approval of a Memorandum of Understanding between the City of Edwardsville and Edwardsville Community Unit School District #7 - *In reference to: Intergovernmental Police Service Assistance Agreement (School Resource Officer Program)*

This is an intergovernmental agreement between the Edwardsville Police Department (EPD) and the Edwardsville School District #7. It outlines the responsibilities and the cost for each party.

Motion by Alderman Farrar, second by Alderman Morrison for Approval of a Memorandum of Understanding between the City of Edwardsville and Edwardsville Community Unit School District #7 - *In reference to: Intergovernmental Police Service Assistance Agreement (School Resource Officer Program)*. Motion carried, Farrar, Morrison and Miracle voted aye.

#### **Fire Department:**

#### **Old Business:**

#### **New Business:**

The next regular scheduled meeting of the Public Safety Committee is Tuesday, July 11, 2023, at 5:30 p.m. at City Hall.

Motion to adjourn by Alderman Morrison, second by Alderman Farrar. With no further business at hand the meeting was adjourned at 5:47 p.m. Motion carried, Farrar, Morrison and Miracle voted aye.

---

Chris Farrar, Chair

Approved Date: \_\_\_\_\_

Minutes prepared by: James Whiteford, Fire Department

Approved Signature: /s/ Chris Farrar, by staff liaison \_\_\_\_\_



**DATE:** July 25, 2023

**ACTION ITEM TITLE:** Approval of the purchase of four (4) police patrol vehicles.

**ORIGIN:** Police Department

Approval of the purchase of four (4) Ford Explorer vehicles and associated equipment required to utilize the vehicle as a police patrol squad.

**RATIONALE:**

During the budget process for the Fiscal Year 2023/2024, police department staff requested, and was granted, approval to purchase four (4) fully equipped patrol vehicles to replace older vehicles within our fleet, at a cost not to exceed \$211,395.73. The funding for these vehicles will be provided through Capital Equipment.

**COMPLIANCE WITH COMPREHENSIVE PLAN OR OTHER PLAN:**

N/A

**SUGGESTED COUNCIL ACTION:**

Approval

**RESOLUTION NO. \_\_\_\_\_**

**RESOLUTION AUTHORIZING PURCHASE OF FOUR (4) 2023 FORD EXPLORER POLICE INTERCEPTOR FROM MORROW BROTHERS FORD, INC, AND ASSOCIATED EQUIPMENT NOT TO EXCEED \$211,395.73.**

**WHEREAS**, the City of Edwardsville maintains a fleet of patrol vehicles for use in the normal day to day operations of its police department; and

**WHEREAS**, the Chief of Police has recommended the City Council authorize the purchase of replacement squad vehicles, being four (4) 2023 Ford Explorer Police Interceptors, from Morrow Brothers Ford, INC, in Greenfield Illinois at a state bid price of \$41,470 per vehicle; and

**WHEREAS**, Data Tronics of Godfrey, Illinois can fully equip the vehicles for use as a marked patrol vehicle for a price of \$9,547.69 per vehicle; and

**WHEREAS**, Ad Graphics of St. Louis, Missouri can provide the graphics marking on each squad car for \$716.67 per vehicle; and

**WHEREAS**, Ray O'Herron of Dannville, Illinois can provide Raptor RP-1 Dual Band Radars at state bid price of \$1,724.99 per vehicle; and

**NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL AND MAYOR OF THE CITY OF EDWARDSVILLE, Illinois, as follows:**

**SECTION 1.** That the purchase of four (4) 2023 Ford Explorer Police Interceptor at the state bid price of \$165,880 from Morrow Brothers Ford, Inc. of Greenfield, Illinois; and the installation of police equipment in the vehicles by Data Tronics in the amount of \$38,190.76; and the marking of the vehicles by AD Graphix in the amount of \$2,150.00, and Raptor RP-1 Dual Band Radar Units in the amount of \$5,174.97, for a total cost not to exceed \$211,395.73 is hereby approved.

**SECTION 2.** The Director of Police, or his designee, is authorized to execute such documents as may be necessary to effectuate the purchase authorized hereby.

**THIS RESOLUTION PASSED BY THE CITY COUNCIL OF THE CITY OF EDWARDSVILLE, MADISON COUNTY, ILLINOIS, AND APPROVED BY THE MAYOR BY THE MAYOR OF SAID CITY THIS \_\_\_\_\_ DAY OF \_\_\_\_\_, 2023.**

ATTEST:

\_\_\_\_\_  
Art Risavy, Mayor

\_\_\_\_\_  
Michelle Boyer, City Clerk

Ayes:

Nays:

Absent:

**EDWARDSVILLE POLICE DEPARTMENT  
MEMORANDUM**

TO: Dr. Farrar  
Chair, Public Safety Committee

FROM: Chief Mike Fillback  
Chief of Police

DATE: Tuesday, July 25, 2023

SUBJECT: Request to Purchase Squad Cars and Associated Equipment

During the budget process for Fiscal Year 2023/2024, police department staff requested, and was granted, approval to purchase four (4) fully equipped patrol vehicles to replace older vehicles within our fleet, at a cost not to exceed \$211,395.73. The funding for these vehicles will be provided through Capital Equipment.


As in previous years, delivery of vehicles from the state bid contract will likely be delayed. Understanding the potential for delay, City Administrator Head has given our department the approval to begin the process of ordering vehicles and associated equipment. As always, our goal is to obtain vehicles as soon as they arrive at the dealership, allowing our department to be “first in line” for equipment installation.

Listed below is a breakdown of estimated costs for purchasing and equipping these vehicles.

<u>Estimated</u>	
Vehicle Cost (State Bid):	\$165,880.00
Equipment and Installs from DataTronics:	\$38,190.76
Vehicle Graphics from Adgraphix:	\$2,150.00
Raptor RP-1 Dual Band Radars	<u>\$5,174.97</u>
<b>TOTAL:</b>	<b>\$211,395.73</b>

I am respectfully requesting to purchase the needed vehicles and associated equipment, **at a price not to exceed \$211,395.73**, utilizing funds approved for this fiscal year, as noted above. This figure is \$8,940.27 below the expenditure approved for this year’s vehicle purchase.

I am prepared to address any concerns of the City Council. Thank you in advance for your consideration in this matter.



WWW.MORROWBROTHERSFORDINC.COM

1242 Main Street • GREENFIELD IL 62044

(217) 368-3037 • Fax (217) 368-3517 • Toll free 1-877-368-3038

July 20, 2023

City of Edwardsville Illinois

We propose the following for your consideration.

**1-New 2023 Ford Police Interceptor Utility AWD Gasoline**

- Exterior Color UM Black
- 96 Cloth Front Vinyl Rear Seats
- 18D Hatch Timer Delete
- 17T Red/White Cargo Dome
- 60A Grill/Lamp/Speaker Wiring
- 51R Driver's Side LED Spotlight
- 549 Power Heated Mirrors
- 47A Factory Police Engine Idle
- 68G Rear Locks/Windows D.C.
- 59B Fleet Keyed 1284x
- 76P Pre-collision Assist
- 76R Reverse Sensing
- New MP License/Title
- Delivery to EPD
- All other standard equipment

Illinois Government Price     \$41,470.00 Each

Additional options can be added as required. Let me know if you have any questions.

Thank you,

Richie Morrow Wellenkamp  
Government Sales Manager  
Morrow Brothers Ford, Inc.

Customer Acceptance: \_\_\_\_\_

Date of Acceptance: \_\_\_\_\_

Please submit this form along with your purchase order and a copy of your Illinois Tax Exempt Letter.



Date: 2/6/2023

7228 Herter Industrial Drive, Godfrey, IL 62035  
 Phone: (618) 463-1440 | (800) 973-1440

# Quote # 6318

*Due to the current market, pricing is subject to change.*

**Customer - Ship to**

Edwardsville Police Dept  
 333 S Main Street  
 Edwardsville, IL 62025

<b>Rep</b>	<b>Prepared By</b>
Josh	Josh

Qty	Item	Description	Rate	Total
		2023 Ford Police Interceptor Utility		
		Lightbar Package:		
1	RLNT48-P3LC	Lightbar, Red/White/Blue, 48", 3-color	1,050.00	1,050.00
		Siren Package:		
1	PF200	Siren/Light controller, 100/200 watt, w/PA & NC microphone	785.00	785.00
1	ES100C	Speaker, 100w, Dynamax, Federal	0.00	0.00
1	ESB-U	Bracket, DynaMax, Universal Bail	0.00	0.00
		Headlight Package:		
1	416900-RW *NLA*	Corner, Dual, LED, Light head w/in-line flasher, Red/White	75.00	75.00
1	416900-BW *NLA*	Corner, Dual, LED, Light head w/in-line flasher, Blue/White	75.00	75.00
		Console Package:		
1	CC-UV20-L-18	Console, 2020 PI Utility, 18" L-Shape, 8" slope, 10" level	415.00	415.00
1	FP-Pathfinder	Face Plate 3", Pathfinder, Federal Signal	0.00	0.00
1	FP-MXTL5000	Face Plate 3", Motorola XTL5000, XTL1500	0.00	0.00
1	FP-MCS2003(R) NLA	Face Plate 3", Motorola MCS2003 Remote	0.00	0.00
1	FP-AP12-3	Face Plate 2", w/3 DC Outlets, Troy	0.00	0.00
1	FP-Blank	Face Plate, Blank - (1 Inch)	0.00	0.00
1	FP-Blank	Face Plate, Blank - (4 Inches)	0.00	0.00
1	AC-INBHG	Cup holder, Dual, Internal, 4", Troy	45.00	45.00
		Front Partition Package		
1	TP-E-SL1-US-SS	Partition, Sliding Window, Stash-n-Stow, Vertical deterrent bar, large window (Model/Yr)	725.00	725.00
1	KP-20-FDUV-SS	Kick Panel w/foot pockets 3 pc. 2020 PI Utility	145.00	145.00
		Window Gurad Package:		
1	WG-20-FDUV-SET	Window Guard, welded bar, driver/passenger, vertical design, 2020 PIU	250.00	250.00
		Rear Partition w/ ABS Seat		
1	PS-20-UV-OS-R	Plastic Seat w/OS belts, rear partition (square hole)	1,300.00	1,300.00

Please Fax approvals to (618) 463-1450 or Email sales@dtishop.com		<b>Subtotal</b>
Approved by _____	Date _____	<b>Sales Tax (0.0%)</b>
		<b>Total</b>



Date: 2/6/2023

7228 Herter Industrial Drive, Godfrey, IL 62035  
 Phone: (618) 463-1440 | (800) 973-1440

# Quote # 6318

*Due to the current market, pricing is subject to change.*

**Customer - Ship to**

Edwardsville Police Dept  
 333 S Main Street  
 Edwardsville, IL 62025

<b>Rep</b>	<b>Prepared By</b>
Josh	Josh

Qty	Item	Description	Rate	Total
1	GM-SGRF-MNT	Gun Rack, Dual Mount, w/GM-B-SC1-BKT, GM-B-SC5-BKT included	230.00	230.00
1	SC1H	Gun Lock, Shotgun, Mossberg, w/ Handcuff Key Override	105.00	105.00
1	SC6H	Gun Lock, AR15, w/Handcuff key, SHO-ME	175.00	175.00
1	CM-UV20-SL-LED	Computer Mount, Passenger seat w/slide arm dock, 2020 PI Utility	480.00	480.00
1	CP-UV20-CARGO	2020 PI Utility tilt-up cargo mount w/gas shocks	600.00	600.00
Rear Light Package:				
2	MPS652-BR	12-LED Lighthouse, Dual, Hood/Grille Mt, Blue/Red; MicroPulse	98.00	196.00
2	MPSC2-RB	8-LEDs, Red/Blue, dual color, clear lens, MicroPulse C Series	98.00	196.00
1	COM3SRWC	Light, surface Mount, 3" round, Red/White	48.00	48.00
1	05.0502	Switch, SPST, 15A, Rocker, Center OFF	10.00	10.00
2	L.I.K.	Install Kit Large Misc Parts	76.00	152.00
2	BM//30	Antenna Mount, 3/4", Roof, Perm. 30', NC, 0-960Mhz	27.54	55.08
2	RFU-600-1	Conn, Mini-UHF/m, RG58, Crimp	5.95	11.90
1	QW150	Antenna, NMO, 152-162Mhz, 150w, Unity 1/4 wave, 18", 2.15dBi, titanium gray	17.45	17.45
1	MAX7603S	Antenna, NMO, 760-870Mhz, 3dB, chrome, spring, 150W	42.01	42.01
1	INSTALL	Quoted cost for Installation of Eqp and/or Services	2,100.00	2,100.00

Please Fax approvals to (618) 463-1450 or Email sales@dtishop.com		<b>Subtotal</b>	\$9,283.44
Approved by _____	Date _____	<b>Sales Tax (0.0%)</b>	\$0.00
		<b>Total</b>	\$9,283.44



Date: 7/14/2023

7228 Herter Industrial Drive, Godfrey, IL 62035  
 Phone: (618) 463-1440 | (800) 973-1440

# Quote # 6521

*Due to the current market, pricing is subject to change.*

**Customer - Ship to**

Edwardsville Police Dept  
 333 S Main Street  
 Edwardsville, IL 62025

<b>Rep</b>	<b>Prepared By</b>
Josh	Josh

Qty	Item	Description	Rate	Total
2023 Ford Police Interceptor Utility				
Lightbar Package:				
1	SIFMJS-FPIU20-P3	Lightbar, front ILS, 3-color configuration, FSJoin	799.00	799.00
1	SIFMJS-FPIU20-P3	Lightbar, front ILS, 3-color configuration, FSJoin	799.00	799.00
Siren Package:				
1	PF200	Siren/Light controller, 100/200 watt, w/PA & NC microphone	785.00	785.00
1	ES100C	Speaker, 100w, Dynamax, Federal	0.00	0.00
1	ESB-U	Bracket, DynaMax, Universal Bail	0.00	0.00
Headlight Package:				
1	416900-RW *NLA*	Corner, Dual, LED, Light head w/in-line flasher, Red/White	75.00	75.00
1	416900-BW *NLA*	Corner, Dual, LED, Light head w/in-line flasher, Blue/White	75.00	75.00
Tail Light Package				
1	416900XZ-BW	Corner, Dual, LED, Steady burn, Light head w/in-line flasher, Blue/White & blk bezel	75.00	75.00
1	416900XZ-RW	Corner, Dual, LED, Steady burn, Light head w/in-line flasher, Red/White	75.00	75.00
Mirror Light or Cargo Light Package:				
1	MPSW9-RW	9-LED lighthouse, Red/White, MicroPulse wide angle	165.00	165.00
1	MPSW9-BW	9-LED lighthouse, Blue/White, MicroPulse wide angle	165.00	165.00
1	MPSMW9-FPIU20MIR	Mirror Bracket, MicroPulse Wide, FPIUV, Pair	29.00	29.00
Console Package:				
1	CC-UV20-L-18	Console, 2020 PI Utility, 18" L-Shape, 8" slope, 10" level	415.00	415.00
1	FP-Pathfinder	Face Plate 3", Pathfinder, Federal Signal	0.00	0.00
1	FP-MXTL5000	Face Plate 3", Motorola XTL5000, XTL1500	0.00	0.00
1	FP-MCS2003(R) NLA	Face Plate 3", Motorola MCS2003 Remote	0.00	0.00
1	FP-AP12-3	Face Plate 2", w/3 DC Outlets, Troy	0.00	0.00
1	FP-Blank	Face Plate, Blank - (1_Inch)	0.00	0.00
1	FP-Blank	Face Plate, Blank - (4_Inches)	0.00	0.00
1	AC-INBHG	Cup holder, Dual, Internal, 4", Troy	45.00	45.00
Front Partition Package				

Please Fax approvals to (618) 463-1450 or Email sales@dtishop.com		<b>Subtotal</b>
Approved by _____	Date _____	<b>Sales Tax (0.0%)</b>
		<b>Total</b>



Date: 7/14/2023

7228 Herter Industrial Drive, Godfrey, IL 62035  
 Phone: (618) 463-1440 | (800) 973-1440

# Quote # 6521

*Due to the current market, pricing is subject to change.*

**Customer - Ship to**

Edwardsville Police Dept  
 333 S Main Street  
 Edwardsville, IL 62025

<b>Rep</b>	<b>Prepared By</b>
Josh	Josh

Qty	Item	Description	Rate	Total
1	TP-E-SL1-US-SS	Partition, Sliding Window, Stash-n-Stow, Vertical deterrent bar, large window (Model/Yr)	725.00	725.00
1	KP-20-FDUV-SS	Kick Panel w/foot pockets 3 pc. 2020 PI Utility	145.00	145.00
		Window Gurad Package:		
1	WG-20-FDUV-SET	Window Guard, welded bar, driver/passenger, vertical design, 2020 PIU	250.00	250.00
		Rear Partition w/ ABS Seat		
1	PS-20-UV-OS-R	Plastic Seat w/OS belts, rear partition (square hole)	1,300.00	1,300.00
1	GM-SGRF-MNT	Gun Rack, Dual Mount, w/GM-B-SC1-BKT, GM-B-SC5-BKT included	230.00	230.00
1	SC1H	Gun Lock, Shotgun, Mossberg, w/ Handcuff Key Override	105.00	105.00
1	SC6H	Gun Lock, AR15, w/Handcuff key, SHO-ME	175.00	175.00
1	CM-UV20-SL-LED	Computer Mount, Passenger seat w/slide arm dock, 2020 PI Utility	480.00	480.00
1	CP-UV20-CARGO	2020 PI Utility tilt-up cargo mount w/gas shocks	600.00	600.00
		Rear Light Package:		
2	MPS652-BR	12-LED Lighthouse, Dual, Hood/Grille Mt, Blue/Red; MicroPulse	98.00	196.00
2	MPSC2-RB	8-LEDs, Red/Blue, dual color, clear lens, MicroPulse C Series	98.00	196.00
1	COM3SRWC	Light, surface Mount, 3" round, Red/White	48.00	48.00
1	05.0502	Switch, SPST, 15A, Rocker, Center OFF	10.00	10.00
2	L.I.K.	Install Kit Large Misc Parts	76.00	152.00
2	BM//30	Antenna Mount, 3/4", Roof, Perm. 30', NC, 0-960Mhz	27.54	55.08
2	RFU-600-1	Conn, Mini-UHF/m, RG58, Crimp	5.95	11.90
1	QW150	Antenna, NMO, 152-162Mhz, 150w, Unity 1/4 wave, 18", 2.15dBi, titanium gray	17.45	17.45
1	MAX7603S	Antenna, NMO, 760-870Mhz, 3dB, chrome, spring, 150W	42.01	42.01
1	INSTALL	Quoted cost for Installation of Eqp and/or Services	2,100.00	2,100.00

Approved by _____ Date _____ Please Fax approvals to (618) 463-1450 or Email sales@dtishop.com	<b>Subtotal</b>	\$10,340.44
	<b>Sales Tax (0.0%)</b>	\$0.00
	<b>Total</b>	\$10,340.44



423 Hanley Ind. Ct. St. Louis, MO 63144  
 Phone 314-644-4496 Fax 314-644-4473  
 www.adgraphix.net

**PRICE QUOTE**

**DATE: July 21, 2023**

<b>CUSTOMER</b>	Edwardsville Police		
<b>CONTACT</b>	Lt Charles Kohlberg	<b>MOBILE PH.</b>	
<b>PHONE</b>	618-692-7527	<b>FAX</b>	(618) 692-7575
<b>ADDRESS</b>	400 N. Main Edwardsville, IL 62025		

<b>JOB DESCRIPTION:</b>	Explorer Graphics
<b>GRAPHIC TYPE:</b>	680 Reflective/Gloss Lam
<b>Estimator Name:</b>	Brittany Brooks

**ITEMIZED PRICE QUOTE:**

(3x) Complete Edwardsville PD Graphic Pkgs for 2023 Black Explorers - Unit Numbers - #18, #19, #20	\$560 each
Labor: Installation	\$140 each
Travel Fee for onsite installation	\$50
<b>Total:</b>	<b>\$2150</b>

**NOTES:**



3549 N Vermilion St  
 Danville, IL 61832  
 www.oherron.com  
 rayoherron@oherron.com  
 1-800-223-2097

# Quote

**Quote # 3164819**  
 Customer No: 00-62025PD  
 Date: 7/21/2023

**BILL TO:**

EDWARDSVILLE POLICE DEPT  
 DEPT OF PUBLIC SAFETY  
 333 S MAIN ST  
 EDWARDSVILLE, IL 62025

**SHIP TO:**

EDWARDSVILLE POLICE DEPT  
 333 S MAIN ST  
 EDWARDSVILLE, IL 62025

<b>BADGE NO:</b>	<b>PAYMENT TERMS:</b>	<b>ORDERED BY:</b>	<b>ORDER COMMENT:</b>
	NET 30 DAYS	LT KOHLBERG	E-MAILED

ITEM NO	DESCRIPTION	QUANTITY	PRICE	EXT PRICE
	SRO			
833	RADAR,RAPTOR RP-1,DUAL K-BAND	1.00	1,724.99	1,724.99

\*\*\*\*\*QUOTED FREIGHT\*\*\*\*\*

Freight: 45.00

Sales Tax: 0.00

**Quote Total: 1,769.99**

# 2023 POLICE INTERCEPTOR UTILITY STANDARD EQUIPMENT

The following items are std. 2023MY POLICE INTERCEPTOR UTILITY vehicle:

## MECHANICAL

- Axle Ratio – 3.73 (AWD)
- Brakes – 4-Wheel Heavy-Duty Disc w/H.D. Front and Rear Calipers
- Class III Trailer Hitch Receiver with 5,000 lbs. towing capacity and (2) recovery hooks
- **Note:** Includes Class III Trailer Tow Lighting Package
- Column Shifter
- 250-Amp Alternator
- Drivetrain – All-Wheel-Drive
- Electric Power-Assist Steering (EPAS) – Heavy-Duty
- Engine – 3.3L V6 FFV Gasoline Engine
- Engine Hour Idle Meter
- Engine Hour Meter
- Engine Oil Cooler
- Fuel Tank – 21-gallons
- H7 Battery (730 CCA/80-amp)
- Suspension – independent front & rear
- Transmission – 10-speed automatic
- Transmission Oil Cooler

## EXTERIOR

- Antenna, Roof-mounted
- Cladding – Lower bodyside cladding (MIC)
- Door Handles – Black (MIC)
- Exhaust, True Dual (down-turned)
- Daytime Running Lamps – Configurable ON/OFF through instrument cluster
- **Note:** Select option (942) if desire is to have Daytime Running Lamps permanently on (cannot be turned off or reprogrammed)
- Door-Lock Cylinders (Front Driver / Passenger / Liftgate)
- Glass – 2<sup>nd</sup> Row, Rear Quarter and Liftgate Privacy Glass
- Grille – Black (MIC)
- Headlamps – Automatic, LED Low-and-High-Beam
- **Note:** Includes Front Headlamp / Police Interceptor Housing (with LED wig-wag feature)
  - Pre-drilled hole for side marker police use, does not include LED strobe, but includes LED wig-wag functionality (eliminates need to drill housing assemblies and provides LED wig-wag feature)
  - Pre-molded side warning LED holes with standard sealed capability (does not include LED installed lights)
  - Wig-wag default is traditional ping-pong pattern; can be programmed to triple-burst pattern or ping-pong / triple-burst
- **Note:** Must be wired to vehicle's light controller to enable wig-wag functionality; recommend Ready for the Road Package (67H) or Ultimate Wiring Package (67U)
- Liftgate – Manual 1-Piece – Fixed Glass w/Door-Lock Cylinder
- Mirrors – Black Caps (MIC), Power Electric Remote, Manual Folding with Integrated Spotter (integrated blind spot mirrors not included when equipped with BLIS®)
- Spare – Full size 18" Tire w/TPMS
- Spoiler – Painted Black
- Liftgate Handle – (MIC)
- Tail lamps – LED
- Tires – 255/60R18 A/S BSW
- Wheel-Lip Molding – Black (MIC)
- Wheels – 18" x 8.0 painted black steel with polished stainless steel hub cover
- Windshield – Acoustic Laminated

## INTERIOR/COMFORT

- Cargo Hooks in cargo area
- Climate Control – Dual-Zone Electronic Automatic Temperature Control (DEATC)
- Door-Locks
  - Power
  - Rear-Door Handles and Locks Operable
- Fixed Pedals (Driver Dead Pedal)
- Floor – Flooring – Heavy-Duty Thermoplastic Elastomer
- Glove Box – Locking/non-illuminated
- Grab Handles – (1 – Front-passenger side, 2-Rear)
- Heated Sanitization Solution
- Liftgate Release Switch located in overhead console (45 second timeout feature)
- Lighting
  - Overhead Console
  - Red/White Task Lighting in Overhead Console
  - 3<sup>rd</sup> row overhead map light
- Mirror – Day/night Rear View
- Particulate Air Filter
- Powerpoints – (1) First Row
- Rear-door closeout panels

## INTERIOR/COMFORT (continued)

- Rear-window Defrost
- Scuff Plates – Front & Rear
- Seats
  - 1<sup>st</sup> Row Police Grade Cloth Trim, Dual Front Buckets with reduced bolsters
  - 1<sup>st</sup> Row – Driver 6-way Power track (fore/aft. Up/down, tilt with manual recline, 2-way manual lumbar)
  - 1<sup>st</sup> Row – Passenger 2-way manual track (fore/aft. with manual recline)
  - Built-in steel intrusion plates in both driver/passenger seatbacks
  - 2<sup>nd</sup> Row Vinyl, 35/30/35 Split Bench Seat (manual fold-flat, no tumble) – fixed seat track
- Speed (Cruise) Control
- Speedometer – Calibrated (includes digital readout)
- Steering Wheel – Manual / Tilt / Telescoping, Urethane wheel finish w/Silver Painted Bezels with Speed Controls and 4 user – configurable latching switches
- Sun visors, color-keyed, non-illuminated
- Universal Top Tray – Center of I/P for mounting aftermarket equipment
- Windows, Power, 1-touch Up/Down Front Driver/Passenger-Side with disable feature

## SAFETY/SECURITY

- AdvanceTrac® w/RSC® (Roll Stability Control®)
- Airbags, dual-stage driver & front-passenger, side seat, passenger-side knee, Roll Curtain Airbags and Safety Canopy®
- Anti-Lock Brakes (ABS) with Traction Control
- Brakes – Police calibrated high-performance regenerative braking system
- Belt-Minder® (Front Driver / Passenger)
- Child-Safety Locks (capped; set to "on")
- Individual Tire Pressure Monitoring System (TPMS)
- LATCH (Lower Anchors and Tethers for Children) system on rear outboard seat locations
- Rearview Camera with Washer viewable in 4.2" center stack.
- **Note:** Rearview Camera viewable in rearview mirror (available) – order 87R (no-charge option)
- Seat Belts, Pretensioner/Energy-Management System w/adjustable height in 1<sup>st</sup> Row
- SOS Post-Crash Alert System™

## FUNCTIONAL

- Audio
  - AM/FM / MP3 Capable / Clock / 4-speakers
  - Bluetooth® interface — Includes hands-free voice command support (compatible with most Bluetooth connected mobile devices)
  - USB Port — (1)
  - 4.2" Color LCD Screen Center-Stack "Smart Display"
- Easy Fuel® Capless Fuel-Filler
- Ford Telematics™ – Includes Fleet Telematics Modem and complimentary 2-year subscription
- Front door tether straps (driver/passenger)
- Power pigtail harness
- Simple Fleet Key (w/o microchip, easy to replace; 4-keys)
- Two-way radio pre-wire
- Two (2) 50 amp battery power circuits – power distribution junction block (behind 2<sup>nd</sup> row passenger seat floorboard)
- Wipers – Front Speed-Sensitive Intermittent; Rear Dual Speed Wiper



**DATE:** 07/25/2023

**ACTION ITEM TITLE:** RESOLUTION  
AMENDING THE FEE SCHEDULE FOR THE  
CITY OF EDWARDSVILLE

**ORIGIN:**

**SUMMARY:**

This Resolution adds the attached fee schedule, Exhibit A, for Fire and Life Safety Review and Inspection Fees to the official Fee Schedule for the City of Edwardsville

**RATIONALE:**

This Resolution seeks to adjust Edwardsville's Fire and Life Safety Review and Inspection fees to be on par with like Metro East communities.

**COMPLIANCE WITH COMPREHENSIVE PLAN OR OTHER PLAN:**

N/A

**SUGGESTED COUNCIL ACTION:**

**RESOLUTION # \_\_\_\_\_**

**RESOLUTION AMENDING THE FEE SCHEDULE FOR THE CITY OF EDWARDSVILLE**

**WHEREAS**, the City of Edwardsville assesses and collects various fees and charges for services that were either written into the City Code, contained in uncodified ordinances, passed by resolution or assessed by the City; and

**WHEREAS**, the City of Edwardsville finds that it is in the best interests of the City to review and amend the Fee Schedule from time to time so that it can be kept up to date as fees may be added or changed;

**NOW THEREFORE, BE IT RESOLVED** by the City Council of the City of Edwardsville, Illinois that it amends the Fee Schedule by adding the attached and incorporated "Exhibit A" as it relates to Fire and Life Safety Review and Inspection Fees to the official Fee Schedule for the City of Edwardsville.

PASSED this \_\_\_\_\_ day of July, 2023, pursuant to a roll call vote as follows:

AYES:

NAYES:

ABSENT:

ABSTENTION:

APPROVED this \_\_\_\_\_ day of July, 2023.

BY: \_\_\_\_\_

Art Risavy, Mayor  
City of Edwardsville, Illinois

ATTESTED:

Filed in my office this \_\_\_\_\_ day of July, 2023.

BY: \_\_\_\_\_

Michelle Boyer, City Clerk  
City of Edwardsville, Illinois

# EXHIBIT - A

## Fire and Life Safety Review and Inspection Fees

The following occupancies and use groups are subject to plan review and inspection by the Fire Department. Use groups include: All (Assembly, Business, Educational, Factory/Industrial, Hazardous, Institutional, Mercantile, Storage, Utility, Miscellaneous and Residential groups R-1, R-2, and R-3).

### Fire and Life Safety Plan Review:

\$75.00 review and processing fee for the first \$10,000.00 of project construction cost, plus an additional \$1.00 for each \$1,000.00, or portion thereof, above the first \$10,000.00 of project construction cost. Such fees shall include inspections throughout construction, including:

- 1) Temporary Stocking or Temporary Occupancy
- 2) Project Final Inspection and Occupancy

Reinspection or additional inspections may be subject to reinspection fees.

### Site Plan Review for Fire Department Access:

\$50.00 fee. No charge for site visit or reviewing re-submittals.

### Underground Fire Lines Review:

\$50.00 fee; includes the following:

- 1) Plan Review
- 2) Rough-In Inspection of piping and thrust-blocks
- 3) Hydrostatic Test with pipe covered and joints exposed
- 4) Witnessed Flush at flow rates as stated per NFPA 24 (contractor to provide and secure burlap bag to catch debris)

### Sprinkler System, Fire Pump, Fire Water and Standpipe Systems Review:

\$50.00 fee, and \$2.00 for each \$1,000.00, or portion thereof, of sprinkler system cost. This fee applies to new systems and modifications or upgrades of existing systems. Fee includes:

- 1) Plan Review
- 2) Rough-In Inspection before ceiling installation
- 3) Hydrostatic Test
- 4) Flow Test
- 5) Final Acceptance Test

### Kitchen Hood Suppression System Review:

\$50.00 fee for new systems, modifications, or upgrades of existing systems. Fee includes:

- 1) Plan Review
- 2) Hood Rough-in
- 3) Duct Light Test
- 4) Duct Wrap & Clean-outs
- 5) Fuel, Electric & Alarm Interlocks
- 6) Final Acceptance - Witness one (1) Wet Function Test

### Clean-Agent Fire Suppression Systems Review:

\$50.00 fee, and \$2.00 for each \$1,000.00 of system cost. This fee applies to new systems and modifications or upgrades of existing systems. Includes the following:

## EXHIBIT - A

- 1) Plan review
- 2) Rough-In Inspection
- 3) Pre-action, Dead-man and Alarm Interlocks
- 3) Final Acceptance Test

### Fire Alarm Systems Review:

\$50.00 fee, and \$3.00 for each \$1,000.00 of alarm system cost. This fee applies to any new systems, modifications or upgrades of existing systems. Fee includes:

- 1) Plan Review
- 2) Rough-In of alarm devices and wiring (prior to ceiling cover-up)
- 3) Final Acceptance Test of system and devices

### All Other Fire and Life Safety Reviews and Inspections:

\$50.00 fee, and \$3.00 for each \$1,000.00 of project cost for Flammable Liquid, Hazardous Materials, Bulk Tank CO2 Storage, Compressed Gasses, LPG, Battery/Solar/Wind, Large Tent/Canopy (over 400 S.F.), canopies attached to buildings, and all other systems, installations, or modifications.

- 1) Plan Review
- 2) On-site inspection

### Re-inspection Fees:

Additional re-inspections beyond the first per phase may be charged to the permittee at the rate of \$50.00 for each subsequent inspection. A paid receipt must be presented at the Department of Public Works before further re-inspections will be made.

### Expedited Review Fee:

Priority review services require a \$250 application fee, payable at time of submission, plus expedited plan review fees of 150% of the calculated rate, prior to issuance of comments.

### Failure to Permit:

Please remember, no construction work may begin, including excavation, footing, or foundation until a building permit is issued. Construction without a building permit is a violation and subject to a fine of not more than \$750 for each day the violation occurs.



**DATE:** July 25, 2023

**ACTION ITEM TITLE:** RESOLUTION  
AUTHORIZING THE PURCHASE OF ONE (1)  
TRAUMAHAWK X-SERIES ALUMINUM TYPE I CUSTOM  
AMBULANCE AND ASSOCIATED EQUIPMENT IN AN  
AMOUNT NOT TO EXCEED \$354,057.00

**ORIGIN:**

**SUMMARY:**

This Resolution authorizes the purchase of one (1) TraumaHawk X-Series Aluminum Type I Custom Ambulance with Ford F550, LWB, 4x4, Diesel and associated equipment from American Response Vehicles, located at 521 Hillsdale Rd, Columbia, MO 65201, for a total cost of \$354,057.00.

**RATIONALE:**

The Fire Department is requesting to purchase an ambulance locking in today's prices, but not take delivery of the unit or pay for the unit until it is completed approximately two years from now.

EFD has been working to standardize the ambulance fleet in order to simplify operations and improve maintenance efficiency. The Department is scheduled to replace the oldest, and last small box, ambulance in FY 25/26. In today's economy delivery on a new ambulance is about 48 months out, consequently an order in 2023 will not be delivered until 2025. ARV's current pricing program locks-in today's prices for that two year period. This is something ARV competitors do not currently do, presumably due to expected cost increases over that time. EFD currently has a remounted American Response Vehicle (ARV) ambulance and has found this brand to be well constructed and reliable.

The ambulance would be purchased through a joint purchasing agreement with HGACBuy, of which Edwardsville is a member.

**COMPLIANCE WITH COMPREHENSIVE PLAN OR OTHER PLAN:** N/A

**SUGGESTED COUNCIL ACTION:**

**Resolution No. \_\_\_\_\_**

**A RESOLUTION AUTHORIZING THE PURCHASE OF ONE TRAUMAHAWK X-SERIES ALUMINUM TYPE I CUSTOM AMBULANCE AND ASSOCIATED EQUIPMENT IN AN AMOUNT OF \$354,057.00**

**WHEREAS**, the City of Edwardsville provides a full transport advanced life support ambulance service; and

**WHEREAS**, ambulance unit number 1343 is outdated and scheduled for replacement in FY 25/26; and

**WHEREAS**, Ambulance manufacturers have extended delivery times reaching out as far as FY 25/26; and

**WHEREAS**, the Edwardsville Fire Department has previously used AEV ambulances and believe them to be proven in quality construction; and

**WHEREAS** American Emergency Vehicles (AEV) will lock-in current pricing of \$354,057.00 on purchase of a new ambulance with delivery date which falls within the FY 25/26 budget; and

**WHEREAS**, HGACBuy has awarded the AM20AA04 AEV Type 1 Ford F550 TraumaHawk, Ambulance Contract number AM10-20 for Ambulances, EMS, and Other Special Service Vehicles, to American Response Vehicles (ARV) from August 1, 2021 through July 31, 2024; and

**WHEREAS**, the Houston-Galveston Area Council (HGACBuy) Purchasing Cooperative is a governmental procurement organization that establishes competitively priced contracts for goods and services, by virtue of a public competitive procurement process; and

**WHEREAS**, the City of Edwardsville is a member of HGACBuy, and qualifies as a public agency as defined by the Illinois Governmental Joint Purchasing Act; and

**WHEREAS**, the Section 2-594 of the Codified Ordinances of the City of Edwardsville authorizes the City and its employees to use the provisions for joint purchases by government units as embodied in state statutes.

**NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF EDWARDSVILLE that:**

The City of Edwardsville City Council has reviewed and hereby approves the purchase of one (1) TraumaHawk X-Series Aluminum Type I Custom Ambulance with Ford F550, LWB, 4x4, Diesel and associated equipment from American Response Vehicles, located at 521 Hillsdale Rd, Columbia, MO 65201, for a total cost of **\$354,057.00**, to be paid in fiscal year 2025/2026.

**PASSED BY THE CITY COUNCIL OF THE CITY OF EDWARDSVILLE, ILLINOIS**, this \_\_\_\_\_ day of June, 2023.

AYES: \_\_\_\_\_

NAYS: \_\_\_\_\_  
ABSENT: \_\_\_\_\_  
ABSTENTION: \_\_\_\_\_

**APPROVED BY THE MAYOR OF THE CITY OF EDWARDSVILLE, ILLINOIS,**  
this \_\_\_\_\_ day of June, 2023.

---

Art Risavy, Mayor

ATTEST:

---

Michelle Boyer, City Clerk



Helping Emergency Services Save Lives®

# PROPOSAL

## Prepared by:

Craig Smith  
American Response Vehicles  
craig@arvambulance.com  
**Submitted on:** 04/25/2023  
**Valid Until:** 06/23/2023

## Prepared for:

Brendan McKee  
Edwardsville Fire Department  
333 South Main  
Edwardsville, Illinois 62025  
United States  
**Quote number:** 00000753



# Cover letter

**Dear Brendan McKee,**

Thank you for this opportunity to provide pricing on your new ambulance.

An AEV ambulance is one of the safest and most durable ambulances in production today. From the drawing board to the laboratory and finally, to the road, AEV is the most tested ambulance on the market. AEV ambulances are put to the test in markets like the Kansas City Metro Area, St. Louis Metro Area, Chicagoland Area, and countless communities across the Midwest, with hundreds of units and millions of miles between them. Of the industry-leading 1,400 plus units that AEV produced in 2019 year alone, American Response Vehicles sold 144 units to customers in 7 states. AEV regularly conducts Crash Testing to ensure the body structure is as safe as possible. In fact, AEV tested a Single Type III ambulance not once, but twice at 42 mph per impact. The results were remarkable; all doors still opened and closed, and all cabinets remained intact and undamaged.

Additionally, AEV performed a dynamic pull test to 17,500 pounds on their restraint system. This is 5-Times what is required by the DOT and FMVSS; and with the IMMI Per4Max restraint, you can trust that your crews will be safe. AEV also tests the overall integrity of their modular body and recently increased their static load testing to 75,000 pounds on the conversion's side and roof, which is approximately double what is required. Finally, AEV ambulances are built in the USA by men and women who take pride in their work. From AEV's current 135,000 sq. ft. campus to their new 275,000 sq. ft. facility with state-of-the-art Paint Booths, Laser Routers, and Lean Certified Production, you can trust that AEV will not only meet but exceed your expectations.

American Response Vehicles (ARV) is a locally owned Missouri Small Business. ARV currently employs 21 people, and our team is comprised of Service Technicians, Parts Department, Graphics Designer & Installer, Sales, and Sales Support Staff. American Response Vehicles is proud to offer service at our facilities in Columbia, Chicago, or on-site at your location. With over 120 satisfied customers and counting, we here at American Response Vehicles look forward to working with you!

All AEV ambulances are built to exceed the requirements of the F.M.V.S.S. and KKK-A-1822-F, and can be built in line with CAAS and NFPA as well. All AEV ambulances are built on ambulance prep chassis.

# Project Fees

Description	Price
<b>2024 AEV Traumahawk X-Series Aluminum Type I Custom Ambulance</b> Ford F550, LWB, 4x4, Diesel	<b>\$362,557.00</b>
<b>Less AEV, Ford, &amp; ARV Discounts</b>	<b>- \$8,500.00</b>
<b>Total</b>	<b>\$354,057.00</b>

Terms are net on delivery or active lease purchase.

**Delivery will be 720 to 900 days after approval of the work order confirmation**

Proposal Includes

- Graphics to match you current fleet
- A powerload install only no powerload included




# Project Timeline

## Project Review

- 2 to 4 weeks
- Review Work Order
- Review Interior & Exterior Drawings
- Submit changes to the factory
- Work Order Confirmation
- Project Review
- Our engineering team reviews the interior and exterior drawings.
- Submits any necessary changes to the factory and processes the work order confirmation.

## Paint & Production

- 6 to 10 weeks
- Aluminum body arrival inspection
- Paint Application
- Body Mounting
- Mid-Point Inspection
- Production Line Completion
- Graphics Install
- QC Inspection



## Aluminum Body Construction

- 4 to 6 weeks
- AEV Engineering will review and confirm the modular body design with Mickey Truck Body.
- Mickey start construction on the aluminum modular body.
- Construction of the aluminum modular body takes 4 weeks from start to finish.
- Upon inspection and approval of the aluminum body, Mickey will ship the aluminum body to AEV.

## Inspection & Delivery

- 1 to 3 weeks.
- With final inspection by AEV done, the body is delivered to ARV. We complete an additional checklist inspection before delivering the body to the end user.
- Arrival Check List
- Delivery to End User

## Sign-off



Standard chassis manufacturer's warranties apply and will start on the date and mileage at delivery. The warranty on our all aluminum fully welded modular body is 20 years. Our conversion warranty including our electrical system, paint, and graphics is 7 years or 70,000 miles.

All parts and service are available through our facility in Columbia, Missouri. We offer twenty-four-hour delivery on parts in most cases. If a part is not in our inventory, it will be shipped to you direct from the manufacturer, again, in most cases within twenty-four hours. We offer at no charge during warranty, road service when necessary.

Thank you for your consideration of ARV. We look forward to continuing to provide you with the very best ambulance available in the market today. If I may be of any assistance, please contact me at 1-888-448-8881.

Sincerely,

Craig Smith  
Regional Sales Manager



Quote SO

Edwardsville Fire Department  
 333 South Main Street  
 Edwardsville, IL 62025



Exp. Date: 05/19/2023  
 Quote No: 10595-0018  
 04/25/2023

PART NO	S	DESCRIPTION	QTY	ID
== ***** <b>BID STANDARDS</b> ***** - 36.001 04/03/23 ==				
00-00-0010		-- ORDER NUMBER	1	AEV
00-00-0107		-- Order Date: Post March 1st, 2023	1	AEV
00-00-0113	>	-- Ambulance Built to Star Of Life KKK-A-1882-F Certification, Latest Revision	1	AEV
00-10-0015		Vehicle Quantity (Vehicles)	1	AEV
00-91-0003		CHASSIS VIN NUMBER:	1	AEV
<b>00-91-0024</b>		<b>ACCOUNT SPECIALIST: Mikael Blevins</b>	<b>1</b>	<b>AEV</b>
00-91-0027		REFERENCE UNIT #:	1	AEV
00-91-0028		RE-WRITE DATE :	1	AEV
00-91-0040		SEAT BELT POSITIONS MODS	1	AEV
00-91-0042		-- CAB SEAT BELT MOD:	1	AEV
00-91-0044		-- Total: 2 Seated Positions in Chassis Cab	1	AEV
00-91-0050		-- REAR SEAT BELT MOD:	1	AEV
<b>00-91-0054</b>		<b> -- Total: 4 Seated Positions &amp; One Floor Mount Secured Patient</b>	<b>1</b>	<b>AEV</b>
00-99-9000		Revision Level: 0 - Zero - ORIGINAL VERSION	1	AEV
00-99-9030		Change Order Level: 0 - Zero - ORIGINAL VERSION	1	AEV
	>	<b>Aluminum - Expanded PVC Cabinet Configuration</b>		<b>AEV</b>
== ***** <b>F-Series 108ca CHASSIS</b> ***** - 36.001 04/03/23 ==				
01-1F-0000		Type I AEV Traumahawk Modular Ambulance	1	AEV
<b>01-AT-1F49</b>	S < >	<b>2024 Ford, F-550 4 x 4 DRW Reg Cab, 193.3" WB, XLT Turbo Diesel Special Order Chassis Ford OEM Agate Black Metallic</b>	<b>1</b>	<b>AEV</b>
<b>01-FM-EWH2</b>	S	-- Wheel Finish: Powder Coated BLACK (6) Wheels ILOS	1	AEV
<b>01-FM-EWJ0</b>	<	-- Hubs are coated or painted, no covers installed no extra parts	1	AEV
<b>01-FM-DL01</b>	>	-- Cab Door Locks: Power XLT- Auto Lock,Auto Unlock Standard	1	AEV
<b>01-FM-DTRQ</b>	>	-- Ford F series High center mount brake light ordered with chassis	1	AEV
<b>01-OE-47C0</b>	>	-- Throttle Control System	1	AEV
<b>01-SZ-0006</b>	< >	-- , Backup Camera fixed system 872 Ford OEM install on module Type 1 F series OEM camera with no weather shield, adjustable position, Displays into OEM Radio	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
04-SU-1101		-- Ford OEM Front Suspension Coil Spring Std F-450/550	1	AEV
	< >	Liquid Spring Rear Suspension: F-550 , 2017+		AEV
		*NOTE: If Oxygen Lift is installed, then if the O2 Cmpt Door is open, the kneeling suspension will not dump until door is closed*		
01-TT-0208	<	-- ""DETAIL"" Liquid Rear Suspension Decal Install	1	AEV
		Prior to delivery, detail department is to install a Black Decal on the dash:		
04-SU-0601		-- Kneeling Feature: Enable Switch Located in CAB console	1	AEV
04-SU-0610		-- Kneeling Feature: Activated by TRAILING rear access door	1	AEV
04-SU-0651		-- Exhaust system termination point: OEM Location, Rt Rear	1	AEV
04-SU-2024	S <	-- Liquid spring controller installed on driver side of console, recessed forward see console print	1	AEV
		w/ Lexan Cover		
04-SU-220S		-- Rear Liquid Spring Surcharge Jan 9 2023 Ford & Ram	1	AEV
04-SU-03F6		-- Rear Stabilize (Anti-Sway) Bar: OEM, Ford F-450/550	1	AEV
12-PT-1500	>	-- OEM Certified Idle System Stickers: On Front Cab Fenders	1	AEV
12-ZZ-ZZZZ		-- == 172 x 96 T-1 LWB Ford X-Series, Conversion - 36.001 04/03/23 ==	1	AEV
06-EA-01FD		Tire Valve Extensions, S/S Braided, PR, Dual Rear Wheel	1	AEV
01-Y0-0002	>	BODY Generation 10	1	AEV
01-X0-0002	<	-- Body Certification Provided to Specification -Gen 10 The Body Manufacturing group certifies that this Ambulance Modular body has been constructed of materials and methods that meet or exceed the standards as required by the AEV Generation 10 Body Specification of February 24, 2022 as published. The body shall be built and constructed to the submitted work order and the AEV Generation 10 build standards without exception. Any Deviations to the work order or Generation 10 build standards must have written authorization prior to body delivery to AEV by the AEV Body Engineer on file.	1	AEV
02-00-0002	< >	-- Body Build Information Body Number; Account Manager; Chassis Type : Mickey Body Due Date;	1	AEV
02-00-0003	<	-- ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4" Unless specified as a minimum dimension.	1	AEV
02-B2-XO93	S	Body, Mod: Type 1 LWB, 174" x 96" x 74" Interior HR - 6" Body Drop x	1	AEV
02-00-0006		-- Headroom: 72" Finished Interior - Ducted A/C	1	AEV
02-00-0060		-- Compartment and Entry door Full length Stainless Steel Hinges std	1	AEV
02-B0-CC01	<	-- Compartment Construction: STANDARD, Unless Specified Otherwise Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-SFL0	<	-- Cmpt Floors: Sweep-out, even with bottom door jamb Unless Specified Otherwise.	1	AEV
02-B0-CC41	>	-- Compartment floor thickness .125" standard	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
02-B0-CC18		-- <i>Compartment Ventilation - Flap style #VT-2495-A01, STD</i>	1	AEV
02-B0-CEX2		-- <i>Curbside Entry Door (CSE): 84.813"H x 31.0"W X w/6" drop T1 T9</i>	1	AEV
02-B0-09B2		-- <i>C/S Door Check : Double Action Gas Shock</i>	1	AEV
04-EA-09B1		-- <i>Door Swing Angle: Set to 90-100 degrees</i>	1	AEV
02-B0-CESL		-- <i>Curbside Entry Door (CSE) Location: Standard, Rearward of M-7 Compt if Optioned</i>	1	AEV
02-B1-SWXA	< >	-- <i>Step Well, CURB Entry Door, 2-Step Embossed DP w Black Turtle Tile insert</i> MTB ENG 7510262 (2) Steps : 9" Risers x 10" Tread Each Step surface panned down 1/2" for TILE-T01 Black Turtle tile insert MTB Note; Entry Threshold requires a one-inch lip in lieu of standard <	1	AEV
05-IL-09X1	< >	-- <i>Light, Step Well: 3" Kinequip #4302S, Chrome, LED, STD</i> Light shall come on with CS door or with right flood switch.	1	AEV
02-BE-0005		-- <i>Entry Door Trimark Free Float Polished CNNC Finish STD</i>	1	AEV
02-BC-0604		-- <i>Talk through, Cab to Mod Window (T1) With Sliding Window 2020+ F</i>	1	AEV
02-BD-0120	>	-- <i>Body Drop: 6" Both Sides, Ahead of Rear Wheels</i>	1	AEV
02-X1-M150	S >	-- <i>M-1 Compt (LF): 69.5" H x 22.125" W x 21.0" D</i>	1	AEV
02-B0-CC02	<	-- <i>Compartment Construction: STANDARD Diamond Plate</i> Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC09		-- <i>Compartment Door Panel: Smooth Aluminum</i>	1	AEV
12-DC-GA10		-- <i>Compartment Finish: Diamond Plate Standard</i>	1	AEV
02-B0-CC16		-- <i>Compartment Door Ventilation - small punched half-moon Louvered Door</i>	1	AEV
02-B0-CC23	< >	-- <i>Aluminum Rain Diverter -Double Louver Column Installed in Compt Door</i> AEV to build and install	1	AEV
02-B0-SWFL		-- <i>Compt Floor: Sweep-out, even with bottom door jamb.</i>	1	AEV
02-B0-CC41	>	-- <i>Compartment floor thickness .125" standard</i>	1	AEV
02-BC-10A5		-- <i>Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch</i>	1	AEV
02-B0-09B0		-- <i>Compt Door Check: Double Action Gas Shock</i>	1	AEV
04-EA-09B1		-- <i>Door Swing Angle: Set to 90-100 degrees</i>	1	AEV
02-BE-0010		-- <i>Compartment Left -Single Door Handle Trimark Polished 030-1875 STD</i>	1	AEV
05-EL-49X6	<	-- <i>Light, Cmpt: Vista LED Rope Style #FSW1F, ILOS X-Series units</i> MTB Note: No light hole required	1	AEV
08-B1-02LI		-- <i>Prep for 02 Lift: NONE</i>	1	AEV
09-ZZ-ZZZZ	S	-- <i>M-1A to be 21" D ILOS</i>	1	AEV
02-X1-M1AD	>	-- <i>M-1A Comp (LF Upper):72 HR, 17.56" H x 22.125" W x 20.0" D</i>	1	AEV
02-B0-CC02	<	-- <i>Compartment Construction: STANDARD Diamond Plate</i> Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC09		-- <i>Compartment Door Panel: Smooth Aluminum</i>	1	AEV
12-DC-GA10		-- <i>Compartment Finish: Diamond Plate Standard</i>	1	AEV
02-B0-CC1B	>	-- <i>Compartment Ventilation - M-1A Pancake Fan &amp; 1-Column of Louvers</i>	1	AEV
02-B0-CC23	< >	-- <i>Aluminum Rain Diverter -Double Louver Column Installed in Compt Door</i> AEV to build and install	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
02-B0-SWFL		-- <i>Compt Floor: Sweep-out, even with bottom door jamb.</i>	1	AEV
02-B0-CC41	>	-- <i>Compartment floor thickness .125" standard</i>	1	AEV
02-BC-10A0		-- <i>Compartment Door: SINGLE DOOR, 1-point Latch</i>	1	AEV
02-B0-09B0		-- <i>Compt Door Check: Double Action Gas Shock</i>	1	AEV
04-EA-09B1		-- <i>Door Swing Angle: Set to 90-100 degrees</i>	1	AEV
02-BE-0010		-- <i>Compartment Left -Single Door Handle Trimark Polished</i>	1	AEV
		030-1875 STD		
05-EL-49X5	<	-- <i>Light, Cmpt: Kinequip #108818C 8", Strip Light, ILOS</i>	1	AEV
		MTB Note: No light hole required		
12-ZZ-ZZZZ		--	1	AEV
02-X1-M276	S >	-- <i>M-2 Compt (LFM): 40.5" H x 47" W x 20.0" D</i>	1	AEV
02-B0-CC02	<	-- <i>Compartment Construction: STANDARD Diamond Plate</i>	1	AEV
		Sides and Back: .100 Polished Aluminum Diamond Plate		
		Compartment Ceiling: .090 Aluminum Sheet		
02-B0-CC09		-- <i>Compartment Door Panel: Smooth Aluminum</i>	1	AEV
12-DC-GA10		-- <i>Compartment Finish: Diamond Plate Standard</i>	1	AEV
02-B0-SWFL		-- <i>Compt Floor: Sweep-out, even with bottom door jamb.</i>	1	AEV
02-B0-CC41	>	-- <i>Compartment floor thickness .125" standard</i>	1	AEV
02-B1-BION		-- <i>Bio-Waste None;</i>	1	AEV
02-B1-ELEH	<	-- <i>Electrical Compartment : Circuit Board Storage relocated to cabinet H</i>	1	AEV
02-BC-10D0		-- <i>Doors, Compartment, DOUBLE DOORS (std)</i>	1	AEV
02-B0-09B0		-- <i>Compt Door Check: Double Action Gas Shock</i>	1	AEV
04-EA-09B1		-- <i>Door Swing Angle: Set to 90-100 degrees</i>	1	AEV
02-BE-0012		-- <i>Compartment Left -Double Door Handles Trimark Polished</i>	1	AEV
		030-1875 STD		
04-TS-0001	S <	-- <i>Slide Out Tool Board: Centered in M2 Compt</i>	1	AEV
		Tool Board to be Perforated with a 1" x 1" x .25" Hole Pattern		
		Board to Lock in Closed Position with Heavy Duty Gas Hold Opens		
		Radius Top and Bottom Outboard Corners		
		Include a Pull Handle		
		REF Image Provided		
05-EL-49X6	<	-- <i>Light, Cmpt: Vista LED Rope Style #FSW1F, ILOS X-Series units</i>	1	AEV
		MTB Note: No light hole required		
05-HA-1316	<	-- <i>Condenser, 12V: ACC #25062, Dual Fan, Front of Module</i>	1	AEV
		as part of HWP purchased for the medium duty units.		
04-HA-1310	< >	-- <i>ARCTIC WEDGE Front of Body</i>	1	AEV
		part #WEDGE-HVAC		
		>>> No Pre-drilled light holes.		
		Use of the wedge is subject to engineering review and approval for Light duty Type III models. A reduction in light sizing above the wedge may be required.		
04-HA-1362		-- <i>Warning Lights installed on Condenser cover</i>	1	AEV
12-B0-0004		-- <i>Painted Part- Painted Special color to match Body</i>	1	AEV
06-RR-13Z0		-- <i>Standard Conduit: 1-1/2"</i> , with pull wire	1	AEV
06-RR-13O7		-- <i>CONDUIT ORIGINATION POINT: M-1A Compartment</i>	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-RR-13T3		-- CONDUIT TERMINATION POINT: Behind A/A Board (Panel)	1	AEV
06-RR-13Z1		-- Conduit #2 1-1/2" diameter, with pull wire, Type 1 units Std	1	AEV
06-RR-13O1		-- CONDUIT ORINATION POINT: Electrical Circuit board cabinet	1	AEV
06-RR-13T2		-- CONDUIT TERMINATION POINT: Behind Driver's seat	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-X1-M379	S <	-- M-3 Compt (LR): 84.812" H x 12.6" W x 20.0" D Add ARV Ceiling Ventilation	1	AEV
02-B0-CC02	<	-- Compartment Construction: STANDARD Diamond Plate Sides and Back: .100 Polished Aluminum Diamond Plate Compartment Ceiling: .090 Aluminum Sheet	1	AEV
02-B0-CC09		-- Compartment Door Panel: Smooth Aluminum	1	AEV
12-DC-GA10		-- Compartment Finish: Diamond Plate Standard	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-B0-CC41	>	-- Compartment floor thickness .125" standard	1	AEV
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	AEV
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	AEV
04-TS-1400	S >	-- Divider, Vertical, Full compartment height, Adjustable	1	AEV
05-EL-49X6	<	-- Light, Cmp: Vista LED Rope Style #FSW1F, ILOS X-Series units MTB Note: No light hole required	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-X1-M574	S <	-- M-5 Compt (RR): 72 HR, 84.812" H x 30" W x 20" D There will be a Dog Leg in the Upper Forward Portion of M5 Compt due to Interior Cabinetry  Add Additional Compt Ventilation as Needed	1	AEV
02-B0-CCM5	>	-- M-5 Compartment Construction: Smooth Aluminum ILOS	1	AEV
02-B0-CC09		-- Compartment Door Panel: Smooth Aluminum	1	AEV
02-B0-CFM5	>	-- Compartment Surface Finish: Speed Liner, Black - M-5	1	AEV
02-B0-CFN1	< >	-- Component Finish (Shelf/Tray/Divider): Speedliner Each Speedline Both Dividers Black	2	AEV
02-B0-CC13	< >	-- Compt Venting - Compartment Ceiling O O O O and Square Holes Horiz ARV STYLE MTB NOTE: hat channel with three (4") holes above the hat at the ceiling level. >> Additional Horizontal square holes in out facing vertical hat channel.	1	AEV
02-B0-CC16		-- Compartment Door Ventilation - small punched half-moon Louvered Door	1	AEV
02-B0-CC23	< >	-- Aluminum Rain Diverter -Double Louver Column Installed in Compt Door AEV to build and install	1	AEV
02-B0-SWFL		-- Compt Floor: Sweep-out, even with bottom door jamb.	1	AEV
02-B0-CC41	>	-- Compartment floor thickness .125" standard	1	AEV
02-BC-10A5		-- Compartment Door: SINGLE DOOR, Forward hinged 2-point Latch	1	AEV
02-B0-09B0		-- Compt Door Check: Double Action Gas Shock	1	AEV
04-EA-09B1		-- Door Swing Angle: Set to 90-100 degrees	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
02-BE-0020	>	-- <i>Compartment Right -Single Door Handle Trimark Polished</i> 030-1875 STD	1	AEV
04-TS-14M3	<	-- <i>M-5 Divider, Vertical, Full compartment height, smooth alum,</i> Fixed Both Full Ht Dividers to be Adjustable Dividers and Tracking to be Rear of the Upper Dog Leg	2	AEV
05-EL-49X6	<	-- <i>Light, Cmppt: Vista LED Rope Style #FSW1F, ILOS X-Series units</i> MTB Note: No light hole required	1	AEV
09-ZZ-ZZZZ		--	1	AEV
02-M1-X600	>	-- <i>M-6 Cmppt (RRFwd): Delete</i>	1	AEV
02-X1-M775	S < >	-- <i>M-7 Cmppt (RF): 72 HR, 84.812" H x 25.25" W, I/O to ALS x 21"</i> Deep Below Floor Interior to be Diamond Plate Door Panel to be Smooth Alum	1	AEV
02-BC-10A5		-- <i>Compartment Door: SINGLE DOOR, Forward hinged 2-point</i> Latch	1	AEV
02-B0-09B0		-- <i>Cmppt Door Check: Double Action Gas Shock</i>	1	AEV
04-EA-09B1		-- <i>Door Swing Angle: Set to 90-100 degrees</i>	1	AEV
02-BE-0020	>	-- <i>Compartment Right -Single Door Handle Trimark Polished</i> 030-1875 STD	1	AEV
05-EL-40M7		-- <i>Light, Cmppt, M-7 (RF): NONE</i>	1	AEV
12-ZZ-ZZZZ		--	1	AEV
02-X1-M888		-- <i>M-8 Drawer (RF): NONE. Batteries Under Hood</i>	1	AEV
05-ZZ-ZZZZ		--	1	AEV
02-X1-RA02	>	-- <i>Rear Access Doors: 46.75" Wide x 60.625" High</i>	1	AEV
02-BE-0070		-- <i>Rear Entry Doors Trimark Free Float Polished CNNC Finish STD</i>	1	AEV
09-IN-3STX	<	-- <i>Insulation: All Module Doors, 2" Black Foam, X-Series units</i> #INSU-ARM2	1	AEV
09-IN-3STY	<	-- <i>Insulation: All Module Doors, Black Sound Proofing, X-Series</i> units #INSU-KSU	1	AEV
<b>WELDING - CELL 1</b>				AEV
04-AS-1800	>	-- <i>Stainless Steel - Sill protection: For the following compartments</i>	1	AEV
04-AS-18M1		-- <i>M-1: Left Front Compartment - Single Bend</i>	1	AEV
04-AS-18M2	>	-- <i>M-2: Left Front Middle Compartment - Single Bend</i>	1	AEV
04-AS-18M3	>	-- <i>M-3: Left Rear Compartment - Single Bend</i>	1	AEV
04-AS-18M5	>	-- <i>M-5: Right Rear Compartment - Single Bend</i>	1	AEV
04-AS-18M7	>	-- <i>M-7: Right Front Compartment - Single Bend</i>	1	AEV
04-AS-06A0	>	Fuel Fill: CPI FG5301-1-238-U Open Housing, Polished Bezel - 53 degree (Std)	1	AEV
04-AS-0801		Urea Fill: CPI FG5301-1 Inlet Housing	1	AEV
04-AS-0370		-- <i>Wire/Hose Cover : Diamond Plate, Between Cab &amp; Module</i>	1	AEV
04-AS-0385		-- <i>Pass-Thru cab mounted wind deflector - Smooth Aluminum</i>	1	AEV
12-B0-0004		-- <i>Painted Part- Painted Special color to match Body</i>	1	AEV
04-BW-ABY1	< >	-- <i>Bumper, Rear: X-Series 1/9 96" Wide w/ Embossed D/P Pontoon</i> Covers X-Series Design. MTB; Delete std bumper.	1	AEV
04-BW-FLIW	< >	-- <i>Step, Center:2" x 9" Bar Grate, flip-up, recessed</i> Standard with X series,> AEV builds MTB delete flip up step.	1	AEV
04-EA-1306		-- <i>Dock Bumpers: Rubber D-Shape, 4" H x 18" W x 4" Thick X -series</i>	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
04-BW-AF19		-- Fenders, Rear: Polished Aluminum	1	AEV
04-BW-DN00		-- Corner Caps "X Series:	1	AEV
04-BW-DN23	<	-- Front Corner Caps: 24.0" High, Alum Diamond Plate X Series	1	AEV
		Purchasing NOTE: Special Order from vendor. Delete standard rear corner caps from MTB		
		If there is a body drop, add the appropriate height to Corner Caps.		
04-BW-DN33	< >	-- Rear Corner Caps: 24" High, Polished Diamond Plate, X-Series	1	AEV
		Purchasing NOTE: Special Order from vendor. Delete standard rear corner caps from MTB		
		If there is a body drop, add the appropriate height to Corner Caps.		
04-BW-DP2A	< >	-- Rear Kick Plate: Aluminum D/P, Recessed, X-Series 96" wide STD Type 1	1	AEV
		Delete standard rear kick-plate from MTB		
<b>04-EA-2504</b>	<	<b> -- Rear Recovery Eyes: (2) Cast Iron 2 9/16" center eye Black</b> 1-3/16" ID center eye	<b>1</b>	<b>AEV</b>
<b>04-EA-2501</b>		<b> -- Eye Access Holes: (2) 5 inch Dia....., Align w/ eyes</b>	<b>1</b>	<b>AEV</b>
04-BW-TA03	>	-- Recessed Tag Area: Polished Aluminum Diamond Plate	1	AEV
04-BW-TA04		-- Location: Centered in the kick plate	1	AEV
05-EL-44TN		-- Tag Light: Kinequip LED #132703C	1	AEV
05-EL-44XL	<	-- Rear Flip up Step Lights, (2), Kinequip LED Strip light #KFL-SLC8	1	AEV
		Mounted above rear bumper flip up step, in kick-plate recess		
04-BW-DP93	<	-- Front Stone Guards: 24.0" High, Alum Diamond Plate	1	AEV
		If there is a body drop, add the appropriate height to Stone Guards.		
04-BW-DPY9	< >	-- Skirt Rails: Polished D/P, w/ 12-inch LED Lights, X-series >> MTB, >Built by AEV	1	AEV
05-EL-SKXB	<	-- Skirt rail Lights, Front Pair 12" LED (1) Each side, forward position, in front skirt rail	1	AEV
05-EL-SKV0	< >	-- (2) Skirt rail LED Strip Lights, Red/White 12" X-series NOTE: Mount Red On TOP and Clear on Bottom	1	AEV
05-EL-SKXC	<	-- Skirt rail Lights, Middle Pair 12" LED (1) Each side, rear position, in front skirt rail	1	AEV
05-EL-SKV0	< >	-- (2) Skirt rail LED Strip Lights, Red/White 12" X-series NOTE: Mount Red On TOP and Clear on Bottom	1	AEV
05-EL-SKXD	<	-- Skirt rail Lights, Rear Pair 12"-LED (1) Each side, in rear skirt rail	1	AEV
05-EL-SKV0	< >	-- (2) Skirt rail LED Strip Lights, Red/White 12" X-series NOTE: Mount Red On TOP and Clear on Bottom	1	AEV
05-EL-SKZ1		-- Skirt rail Lights Switched: Separate Switch in the Cab console	1	AEV
05-EL-SLHX		-- LED Ground Lights: (6) Kinequip White 12" -LED lights, In Skirt rails	1	AEV
	x			
<b>05-EL-SLGY</b>	<	<b> -- LED Ground Lights Switched:</b> <b>Marker Lights On and In Park</b> <b>Also to Activate in Reverse</b>	<b>1</b>	<b>AEV</b>
04-EA-09A0		(2) Rear Door Hold Opens: Grabber Style, 1 on each door	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
04-EA-14X5	< >	Running Boards:Embossed D/P,Bar-Grate Insert, X Series - 2 Door X- STD F 2017 Bar grate insert 16" long	1	AEV
04-EA-1122	>	-- Mud Flaps Front: Modular, Rubber with AEV/Rev Logo std	1	AEV
04-EA-1132		-- Mud Flaps Rear: Modular, Rubber AEV LOGO	1	AEV
05-EL-39X4	< >	-- Lights, Cab Step: 2" White LED , surface mount on box front, (#TOCACCCR) - x ser Chrome Flange Activate by Cab Doors. Constant Hot.	1	AEV
<b>EXTERIOR LIGHTING / HEAT/AC / INSULATION - CELL 2</b>				<b>AEV</b>
05-EL-1800		CORNER CAP LED ICC/WARNING LIGHTS	1	AEV
05-EL-18F0		-- Front Corner Cap LED ICC/Warning Lights: Warnings RED/WHITE	1	AEV
05-EL-18F1	< >	-- Front Center ICC Lts: (3) AMBER Kinequip LED No 112401A, Switch w/ Headlights.	1	AEV
05-EL-18R5		-- Rear Corner Cap LED ICC/Warning Lights: Warnings RED/AMBER	1	AEV
05-EL-18R1	< >	-- Rear Center ICC Lts: (3) RED Kinequip LED No 112401R Switch w/ Headlights	1	AEV
06-SW-CC01		-- ICC Warning Lights Switched: Primary Only	1	AEV
<b>05-EL-2503</b>	<b>S &lt;</b>	<b>LED Lights, Patient on Board, X-Series Units</b> Install lights in the following locations :	<b>1</b>	<b>AEV</b>
		<b>M-1A Compartment - On Door panel, Outer lower corner</b>		
		<b>M-1 Compartment - On Door panel, Outer Edge, Centered Top to Bottom</b>		
		<b>M-2 Compartment - On Forward Door panel, Upper outer corner</b>		
		<b>M-2 Compartment - On Trailing Door exterior, Upper outer corner</b>		
		<b>M-3 Compartment - On Door panel, Outer Edge, Centered Top to Bottom</b>		
		<b>M-5 Compartment - On Door panel, Outer Edge, Centered Top to Bottom</b>		
		<b>M-7 Compartment - On Door panel, Outer Edge, Centered Top to Bottom</b>		
		<b>C/S Entry Door - Below Center panel, Outer Edge</b>		
		<b>Rear Entry Doors - (1) each door, Below Center panel, Outer Edge</b>		
		<b>A Total of (10) Lights</b>		
<b>05-EL-252C</b>		<b> -- Red/White LED POB Light, Kinequip Each, X-Series Units</b>	<b>10</b>	<b>AEV</b>
05-EL-256X		-- Lights Switched with Entry Door Switch	1	AEV
05-EL-42XX		TAIL LIGHTS	1	AEV
05-EL-23X2	>	-- Tail Lights, Whelen LED Combinations , STD, X-Series	1	AEV
<b>05-EL-35A6</b>	<	<b> -- Side Marker Lts: (2) Whelen M6 LED Red Running/Turn, ILOS</b> Running to be wired as Tail and Turn to be wired as Stop. These are to both have flanges.	<b>1</b>	<b>AEV</b>
<b>05-PH-LF20</b>		<b> -- M6 Series Flange, Chrome Plated, Std: Each</b>	<b>2</b>	<b>AEV</b>
<b>05-EL-2414</b>		<b> -- Whelen M6 Series, Tail Lights</b>	<b>1</b>	<b>AEV</b>
<b>05-EL-2420</b>		<b> -- Stop/Tail, Whelen M6 Series, LED, Pair RED LED/ RED LENS</b>	<b>1</b>	<b>AEV</b>
<b>05-EL-2426</b>	>	<b> -- Turn, Whelen M6 Series, LED, Pair Amber LED, Amber LENS</b>	<b>1</b>	<b>AEV</b>
<b>05-EL-2432</b>	>	<b> -- Back up, Whelen M6 Series, LED, Pair</b>	<b>1</b>	<b>AEV</b>
<b>05-PH-LF24</b>		<b> -- M6 Series Flange, Chrome Plated, Std: Three Pair</b>	<b>1</b>	<b>AEV</b>
<b>06-EC-4326</b>		<b> -- Note: Standard Back-up Alarm Installed</b>	<b>1</b>	<b>AEV</b>
<b>06-EC-4331</b>		<b> -- Access Panel: NONE Required</b>	<b>1</b>	<b>AEV</b>
05-EL-43SR	<	Third (3rd) Brake Light: Kinequip KFL-3BLO1 LED MTB Just mounting screw and wire holes required.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-EL-43T2		-- Light is to steady burn, no flash	1	AEV
<b>05-EL-4584</b>	>	<b>SCENE/FLOOD LIGHTS (LED-M9 Series)</b>	1	AEV
<b>05-EL-45L4</b>	< >	<b> -- Left Scene Lights: (2) LED-M9ZC Chrome Flange Whelen</b> Chrome Flange provided with purchase of Light.	1	AEV
<b>05-EL-0224</b>		-- <b>Flanges: Above M9 Scene lights, Incorporated into lights</b>	1	AEV
<b>06-EL-18LF</b>		-- <b>Left Flood Activate: Left Flood Switch</b>	1	AEV
<b>05-EL-45T4</b>	<	-- <b>Right Scene Lights: (2) LED-M9ZC, Chrome flange Whelen</b> Chrome Flange provided with purchase of Light.	1	AEV
<b>05-EL-0224</b>		-- <b>Flanges: Above M9 Scene lights, Incorporated into lights</b>	1	AEV
<b>06-EL-18RT</b>		-- <b>Right Flood Activate: Right Flood Switch and open CSE Door</b>	1	AEV
<b>05-EL-46R4</b>	< >	-- <b>Rear Load Lights: (2) LED-M9ZC, Chrome flange Whelen</b> Chrome Flange provided with purchase of Light.	1	AEV
<b>05-EL-0224</b>		-- <b>Flanges: Above M9 Scene lights, Incorporated into lights</b>	1	AEV
<b>06-EL-18RE</b>		-- <b>Activate: Rear Flood Switch, Reverse and Lead RA Door</b>	1	AEV
<b>06-EL-1800</b>		-- <b>Add Activation: Rearward Left and Right scene lights. come on w/ Reverse</b>	1	AEV
05-HA-13XF	>	HVAC SYSTEM: Max, Ducted in Ceiling - Above Walk-Thru Ford F	1	AEV
05-HA-0406	>	-- Water Pump: Installed required	1	AEV
05-HA-070X	>	-- FILTER, Return Air: HEPA Merv-17 Horizontal 10" x 20" X series	1	AEV
<b>05-HA-0800</b>	< >	-- <b>Activ Tek induct 500-12V Dry H2O2 Air Purification -ozone free</b> <b>System is to be installed in return air Cabinet. Must be serviceable, but not visible to EMT. &gt;&gt; Annual replacement of the UV bulb is required &gt;</b>	1	AEV
		<b>Include a Green Indicator Light Near the HVAC Cabinet to Activate when the Activ Tek Induct is Running</b> <b>Light Labeled: "Air Purification System"</b>		
<b>05-HA-0803</b>		-- <b>Activ Tek system on while HVAC blower is running only. STD</b>	1	AEV
05-HA-1306		-- A/C Condenser: See M2 Cmpt for Condenser Information	1	AEV
05-HA-13X6	>	-- Intermotive Module BCVC502A :Installed 2020 +	1	AEV
05-HA-14A0		-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel	1	AEV
05-HA-14C0	>	-- AC COMPRESSOR: Tee into OEM	1	AEV
05-HB-14QX		-- AC Evaporator: MAXX w/ dual fans	1	AEV
05-HA-1404		-- Heater Hoses: EPDM - Nomex Rubber (per Ford QVM)	1	AEV
05-HA-14A0		-- Side Plenum Grille, Return Air: Stamped Powder Coated Steel	1	AEV
05-HA-14B1		-- Filter, Washable Carbon Pre-Filter	1	AEV
<b>10-HA-0304</b>	<	-- <b>Thermostat, Rear A/C, Digital, Class 1 LX-1, Includes Front Also To Default to 70 Degrees</b>	1	AEV
05-IL-00X1	>	Ceiling Panels; white Aluminum Composite (2) piece X series	1	AEV
05-IL-01XR	< >	-- Dome Lts, LED "LIGHT RAIL" 7' 6" system White LED, Red LED X-Series MTB NOTE: Requires X-Series Roof Structure design	1	AEV
<b>05-IL-05T4</b>	<	-- <b>Check out Light Switch: Momentary For Multi-plex electrical systems.</b> <b>Part SWIT-K260G</b> <b>(1) Momentary switch to be installed at C/S Head of Bench Area Over Countertop</b>	1	AEV
05-IL-05T1	< >	-- Timer, Constant Hot, Check out, Class 1 Multiplex System Activated with opening of either C/S or Rear Entry Doors.	1	AEV
06-EC-0914	<	-- 15 Minute Activation Light Circuit to stay on for 15 minutes when entry door is opened.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-EC-09P1	S <	-- Timer to Power: LED Light Rails on Low Intensity Check Out Timer to Also Activate the Daybrights and Floor Lighting IATS	1	AEV
06-RR-07ST	S	-- (2) 18" POD Light Rail, (1) on Each Side of Center Rail	1	AEV
09-MH-0801	>	-- IV Hook No 1: CPI Rubber IV 2008-1(Recessed Mount), ILOS	1	AEV
29-MH-1000		-- LOCATION: Over head/chest area, primary patient on COT	1	AEV
09-MH-0802		-- IV Hook No 2: CPI Rubber IV 2008-1(Recessed Mount), ILOS	1	AEV
09-MH-08P2		-- LOCATION: OH /chest area, secondary patient on S/B	1	AEV
09-MH-0803		-- IV Hook No 3: CPI Rubber IV 2008-1(Recessed Mount), IATS	1	AEV
09-MH-08P3		-- LOCATION: Over Knee/Waist area, primary patient on COT	1	AEV
09-MH-2AC5	>	-- Recessed C/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, 72in, Gray Anti microbial	1	AEV
09-MH-2ATX	S <	-- Recessed S/S Grab Rail, ceiling: 1.25 Dia..... 3 pt, Dual 24" Gray AntiMicrobial Grab Rail will be recessed in a ABS pan.  (1) will be installed forward of the smaller Light Rail (1) will be installed rearward of the smaller Light Rail	1	AEV
	>	<b>Insulation PKG: X-Series units</b>		AEV
05-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
05-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV
05-IN-4ST9	>	-- Insulation Sound Deadening: Generation 9 Floor	1	AEV
05-IN-5STX	< >	-- Insulation: Walls/Ceiling, 1" Black Foam, X-Series units #INSU-ARM1	1	AEV
05-IN-6STX	< >	-- Stepwell Insulation: Urethane Froth Insulation, STD X-Series units MTB #7208738	1	AEV
05-IN-6SXS	< >	-- Black Sound Proofing, Doors & Select Walls, X-Series units INSU-KSU	1	AEV
05-IN-6SXT	<	-- Insulation: Circumferential PKG, 1LEF Reflective, X-Series units #KSU-F1250	1	AEV
05-LB-6100	S < >	-- Light Bar Alternative, (4) Across Front, 92" or wider Lights Installed on Arctic Wedge  R/B/R/W/B/R/B  White Light Cut Off Switch in Front Control Panel to Deactivate ALL Forward Facing White Lights  Dimmer Switch in Front Control Panel to Dim ALL Rear Facing Lights to 50% Illumination	1	AEV
05-LB-6240		-- Front of Module M Series LED System - 92" and wider	1	AEV
05-PM-LT05		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable iats	2	AEV
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	2	AEV
05-PM-LT16		-- Light: Whelen M9, LED, BLUE LED/CLEAR Lens, Programmable IATS	2	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	2	AEV
05-LB-6900		-- Alternative Lightbar Switching, Prim/Sec	1	AEV
05-PA-LB30	< >	-- Traffic Advisor Lights: (7) Federal Micro Pulse Amber MPSW9 Black >> May require adjustment in size of rear load lights or other components. Light heads to be evenly spaced above the rear entry doors. Black flanges on lights.	1	AEV
05-PA-LB3Y		-- Traffic advisor control head, Multi-plex system	1	AEV
05-PA-LBM2	>	-- LOCATION: Mount over rear door above load lights	1	AEV
05-SY-LTMF	>	WHELEN M- SERIES LED WARNING LT SYSTEM - F-series LTD	1	AEV
05-FS-0712		-- Flasher: None, All M Series LED's Are Programmable	1	AEV
05-FS-0802	>	-- Whelen Photocell, mount on dash - Dimmer control W Switch/Icon	1	AEV
11-YZ-091B	<	-- Exception to GSA K3 3.8.2 Ambulance Emergency lighting -DIM-LOW A customer choice of a photocell or dimming feature with compatible lights that offer low power is non-compliant for side facing warning lights, and forward facing lights of quantity less than 5 per side for section 3.8.2. This is system is non-compliant in the LOW output setting.	1	AEV
11-ZZ-091F	<	-- Exception to CAAS 9.2.1 Ambulance Emergency lighting -DIM-LOW A customer choice of a photocell or dimming feature with compatible lights that offer low power is non-compliant for side facing warning lights, and forward facing lights of quantity less than 5 per side for section 3.9.2.1 This is system is non-compliant in the LOW output setting.	1	AEV
05-FS-10P4		-- Flash Pattern: None, Internal Light Head Flasher	1	AEV
06-SW-PS01		-- Warning Light SWITCH: center console, Primary / Secondary	1	AEV
05-PH-LSY5	S	-- (4) Grille Lights: Whelen M2, LED,	1	AEV
05-PH-LS0T		-- Flanges:(2) Chrome, M2 Lights	1	AEV
05-PM-LRCJ	< >	-- Light: Whelen M2, LED, WHITE/RED LED/CLEAR Lens pair Programmable ILOS Set each color to steady burn and flash through the flasher system. White must flash opposite to the RED, unless specified otherwise.	1	AEV
05-PM-LRCW	>	-- Light: Whelen M2, LED Split Blue/ White LED/CLEAR Lens pair IATS	1	AEV
05-FS-1212		-- Opt A Programmable Lights Split Color - Color 1 Flashes Opposite Color 2	1	AEV
05-PM-LE09		-- (2) Intersection Lights: Whelen M2 Series, LED	1	AEV
05-PM-LN09		-- Flanges,(2) Chrome : Intersection M2	1	AEV
05-PM-LRCJ	< >	-- Light: Whelen M2, LED, WHITE/RED LED/CLEAR Lens pair Programmable ILOS Set each color to steady burn and flash through the flasher system. White must flash opposite to the RED, unless specified otherwise.	1	AEV
05-PM-LF70		-- (1) Center Front Body Light: Whelen M9 Series, LED	1	AEV
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	1	AEV
05-PM-LRK1		-- Light: Whelen M9, LED, WHITE LED/CLEAR Lens, Programmable ea ilos	1	AEV
05-PM-LG70		-- (2) Outer Front Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF12		-- M9 Series Flange Chrome Plated, Std: Pair	1	AEV
05-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	1	AEV
05-PM-LRL2		-- Light: Whelen M9, LED, BLUE LED/CLEAR Lens, Programmable ILOS	1	AEV
05-PM-LH70		-- (4) Upper Side Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF14		-- M9 Series Flange, Chrome Plated, Std: Two Pair	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
05-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	4	AEV
05-PM-LI50		-- (2) Rear Intersection Lights: Whelen M7 Series, LED	1	AEV
05-PH-LF22		-- M7 Series Flange, Chrome Plated, Std: Each	2	AEV
05-PM-LRC3	>	-- Light, Whelen LED M7 Split - Red/Blue LED/Clear Lens - Programmable	2	AEV
05-PM-LJ70		-- (2) Outer Rear Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LF12		-- M9 Series Flange Chrome Plated, Std: Pair	1	AEV
05-PM-LRK3		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable ILOS	2	AEV
05-PM-LK70		-- (2) Additional Rear Body Lights: Whelen M9 Series, LED	1	AEV
05-PH-LT6B		-- Location: REAR, (1) aligned w/ EACH upper window in RA doors.	1	AEV
05-PM-LT05		-- Light: Whelen M9, LED, RED LED/CLEAR Lens, Programmable lights	2	AEV
05-PH-LF10		-- M9 Series Flange, Chrome Plated, Std. Each	2	AEV
06-EL-2499	S < >	-- Brake Light Override: Wire into rear warning lights above Flasher Thru LX1	1	AEV
06-EL-2501		-- Override Function: During ALL modes of operation	1	AEV
05-PM-LL50		-- (1) Center Rear Body Light: Whelen M7 Series, LED	1	AEV
05-PH-LF22		-- M7 Series Flange, Chrome Plated, Std: Each	1	AEV
05-PM-LRA7		-- Light, Whelen LED M7 Amber LED/Clear Lens - Programmable ILOS	1	AEV
05-PH-LF22		-- M7 Series Flange, Chrome Plated, Std: Each	1	AEV
05-ZZ-ZZZZ			1	AEV
<b>ELECTRICAL - CELL 3</b>				
05-IL-12ML		-- Cab Ovhd Lights: Pair, Kinequip 4409, 4" Red/White LED	1	AEV
06-00-0004	<	-- Customer Supplied Part(s) : NONE ITEMS MUST BE NEW, No USED items accepted. Required under GSA-K-1822 and CAAS GVS.	1	AEV
07-00-0181	<	-- Aluminum Cab Consoles contained in the Electrical System Section Duplicate Notification location. Please pick the appropriate code at the Electrical console section for the upcharge.	1	AEV
06-RR-S500	<	-- Aluminum Console Drawing request AEV Engineering to develop drawing for console and send to Account manager for approval prior to release. Console to include standard items. Removable top panel, inset Front location for Switch panel. all other items at special cost.	1	AEV
06-00-0080	< >	<b>AutoGARD Transmission Shifter Lock Ford F Super Duty</b> Kit installed by AEV with push button installed on Dash with labels in chassis cab. Automatically engages when vehicle placed in park, key in the ignition.	1	AEV
05-IL-2035		-- Pre-wire, (1), For Customer Installed Rechargeable Flashlight,	2	AEV
05-IL-10L3		-- Location: M-2 Compartment, wall No 1, NOT ON/NEAR FLOOR!	2	AEV
05-IL-10P0		-- Powered: 12v Constant Hot	2	AEV
06-AL-49RB	< >	-- CAB Spot Light: GoLight GO20214 GT , LED Black housing Hardwire controller Light is operated by Hard Wired control in cab, Identify Wire and hang loose for final mounting by Agency. CAB Spot Light Mount: Cab Roof	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-AL-5004	< >	-- CAB Spot Light Mount: Cab Roof Ford F Series 2019 + Bracket <i>Painted</i> BRKT-GOLITE Paint to match cab roof	1	AEV
12-B0-0004		-- Painted Part- Painted Special color to match Body	1	AEV
06-AM-SAHN		-- AEV Traumahawk Telematics Declined, Not required	1	AEV
06-BA-3F41		Batteries: 2 - Battery System - Type I Diesel only	1	AEV
06-BA-3F53		-- Batteries: (2) Underhood (Type I)	1	AEV
06-BA-3FJ1	< >	-- Battery Make: (2) OEM Battery Brand must match.	1	AEV
06-BA-Q631	< >	-- Battery Switch: Cole Hersee 2484-16 Paddle, T1 center console SWITCH LOCATION: Drivers' side of center cab console.	1	AEV
06-BA-3FW4		-- Batteries Wired: Parallel for higher amperage	1	AEV
06-EC-056C	>	POWER Door Locks: Module Doors, X-Series Units type 1 Ford	1	AEV
06-EC-050B	<	-- Door Locks, Tied into OEM System X series Type 1 Ford Module power locks are tied to the Chassis power lock system MDUL-BDLM506A Module door lock control F3/4/550	1	AEV
06-EC-0512	<	-- OEM Key Fob: Included w/Chassis Unlock Mod Doors Must also operate the Module Power Door Locks Optioned.	1	AEV
06-EC-05B9		-- Door Lock Switches : Integrated in Interior Entry door Handles -x	1	AEV
06-EC-05M0		-- ONLY the following doors shall have power door locks:	1	AEV
06-EC-05X0		-- Electric Door Lock: (M-1A) Upper Left Front Compartment,	1	AEV
06-EC-05X1		-- Electric Door Lock: (M-1) Left Front Compartment	1	AEV
06-EC-05X2		-- Electric Door Lock: (M-2) Left Middle Compartment	1	AEV
06-EC-05X4		-- Electric Door Lock: (M-3) Left Rear Compartment	1	AEV
06-EC-05X6		-- Electric Door Lock: Rear Access Doors	1	AEV
06-EC-05X7		-- Electric Door Lock: (M-5) Right Rear Compartment	1	AEV
06-EC-05XA		-- Electric Door Lock: Curbside Access Door	1	AEV
06-EC-05XB		-- Electric Door Lock: (M-7) Right Front Compt	1	AEV
06-EC-081X	<	-- Remote Keypad #1: Installed, Horizontal X-Series Units MTB to cut mounting holes per provided drawing.	1	AEV
06-EC-0816		-- Location: By Curbside Door	1	AEV
06-EC-2800	< >	-- Door Unlock Switch, Momentary, Exterior, hidden NOTE: Installation of Remote Door Lock Switch feature may increase likelihood of unauthorized entry into vehicle. By checking this option, purchaser further agrees to hold REV or chassis manufacturer harmless for any loss of vehicle or contents caused by unlawful access.	1	AEV
06-EC-0803	>	-- Location: Recessed Tag Area	1	AEV
	S <	Video Camera systems OEM Back Up Thru OEM Display Brigade 360 Camera Sys Thru Brigade Monitor Pt Compt Camera Thru LX1 Display w/ Audio  Ship X Series Back Up Camera Loose		AEV
06-EC-3008	< >	-- Backeye 360 4 camera and 7" monitor system - Brigade Each system request requires management review. > System may not work as well for Medium duty vehicles. >>  Body side cameras mounted high at center of Truck (Bumper to Bumper) (1) rear camera (1) front camera mount at front grille.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		(1) 7" monitor		
<b>06-EC-300F</b>	< >	<b> -- Monitor mounting arm 2020 Ford F to Brigade Monitor</b> Mounts to Existing OEM Mirror mount - CAMR-RVS619UM	1	AEV
<b>12-B0-0004</b>		<b> -- Painted Part- Painted Special color to match Body</b>	4	AEV
06-EC-4300	>	Back-up Alarm: Standard 102DB	1	AEV
<b>06-EC-43B0</b>		<b> -- Cut Off Switch: Auto reset ,momentary style</b>	1	AEV
<b>11-ZZ-0937</b>		<b> -- Cancel switch for back up alarm - Allowed- Destination</b> <b>Non-CAAS applicable.</b>	1	AEV
<b>06-EC-CCX2</b>	< >	<b>Circuit Board, 12V: Multiplex LX1 F3/4/550 X-Series STD</b> Includes the Following Items, Rear Digital Thermostat/Control for A/C, includes front also 5-minute shutdown timer std. Door Open 15, minute check out timer Oxygen Contents Gauge front and back. (5) Minute Auto Battery Switch Shutdown (Kill Circuit)  <b>O2 Alarm Set at 300 PSI</b>	1	AEV
06-EC-1304		-- Voltage Monitor, LX-1, w/ Warning Light	1	AEV
06-EC-2215		-- LX-1 Standard Module door Open Alarm and Icon on Front Display	1	AEV
06-EC-31FX		-- Back Up Camera: > White <<Adjustable ASA, Tied to Multiplex , X-Series units	1	AEV
<b>06-EC-31H5</b>	<	<b> -- Patient Area Camera: Bracket Mount (Ext Style)-Adjustable White</b> <b>ASA</b> Built in microphone	1	AEV
<b>06-EC-31I2</b>		<b> -- Camera Mounted Toward: Rear (Faces Forward)</b>	1	AEV
06-EC-CB07	>	-- Circuit Protection, 12V: FET - Auto-reset	1	AEV
06-EC-SPA7	< >	-- LX1 Main Switch Panel Location : Front Display 7 inch full color w buttons STD 10 tactile pushbuttons with White LED backlight IP67 sealed.	1	AEV
06-EC-SPA8		-- In Cab Console	1	AEV
06-EC-SPZ0		-- Patient Area LX1 Panel:	1	AEV
06-EC-SPZ1		-- Pt Area LX1 Switch Panel: One Standard In Patient Compartment	1	AEV
06-EC-SPA1		-- Switch Panel Located: Streetside A/A	1	AEV
06-EC-SP70		-- Patient area switch panel mounted :flat to action wall std	1	AEV
<b>06-EC-SPZA</b>	<	<b> -- 2nd Pt Area LX1 Switch Panel: To be Located</b> PANL-LX1	1	AEV
<b>06-EC-SPA3</b>		<b> -- Switch Panel Located: Curbside</b>	1	AEV
<b>06-EC-SP71</b>		<b> -- Patient area switch panel mounted on angled cabinet</b>	1	AEV
<b>06-EC-T010</b>	< >	<b> -- SmartTouch Switch Panel 5 Position x 1 Each</b> SmartTouch Switch Panel to be (4) Position Located on C/S Rear Door Panel  Function 1> Dump Override Function 2> Auto Shade Function 3> Check Out Timer Function 4> TBD	1	AEV
06-FS-1106	>	-- Sequencer, LX1, with load manager,	1	AEV
<b>06-RR-F20F</b>	< >	<b> -- Console, Engine Cover: CUSTOM - Aluminum - Speed Lined F</b> <b>Series</b> Battery Switch to be located on left side of Console. Speedliner color-Black	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-RR-F250	>	-- Aluminum console Speedliner Coaiting one piece up to 48"	1	AEV
06-RR-S500	<	-- Aluminum Console Drawing request	1	AEV
		AEV Engineering to develop drawing for console and send to Account manager for approval prior to release.		
		Console to include standard items.		
		Removable top panel, inset		
		Front location for Switch panel.		
		all other items at special cost.		
07-RR-020F	< >	-- Add-on Console: Type 1 There will be a Small Storage Pocket Between the Cup Holders	1	AEV
07-RR-02A0		-- Drink Holder: (2) In Add-on Console, Big Gulp Size	2	AEV
07-RR-02A5		-- Drink Holder Location: Front	2	AEV
07-RR-02F1		-- Note Book Slot: Single - Full width by 8" wide	1	AEV
07-RR-02F2		-- (1) Removable Lexan Divider(s)	1	AEV
07-RR-0512	>	-- Armrests, Padded: Adjustable Height Pair, Black	1	AEV
07-RR-2301		-- Customer Radio: Space for Customer installed Radio Heads	1	AEV
07-RR-2354	>	-- Glove Storage: (3) Glove Box Storage Across Rear of add on console	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
06-EC-GR01	>	Ground Straps, Module to Frame: (Qty 4) Braided	1	AEV
06-IA-0001		Converter , 125V to 12V: NONE	1	AEV
06-IG-0250	>	Inverter : Vanner LIFESINE 1100 Pure Sine Wave, w 55watt 3 stage charger	1	AEV
06-EC-03AS		-- Portable Equip Charging Circuits: Included in Inverter	1	AEV
06-EC-03AA		-- PREWIRE LOCATION: (1)Cab Console, (1) Behind A/A	1	AEV
06-EC-03C9	>	-- Portable Equip Pwr Source: Ignition and/or Shoreline	1	AEV
06-IG-03A0		-- Battery Charger/Conditioner: 55A - Built into Inverter	1	AEV
06-IG-0003		-- Built-in Battery Charger: Enable - Wire to Batteries	1	AEV
06-IG-04L7		-- Inverter Location: M-1A (ULF) Compartment	1	AEV
06-MC-0901		Low Voltage Buzzer: Installed, Multiplex units	1	AEV
		<b>COMMUNICATION RADIO(S) RELATED</b>		AEV
		<b>RADIO POWER</b>		AEV
06-EC-03A0		-- Radio Power No 1: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03C1	S	-- Radio Power Source: (1) Ignition Hot, (1) Constant Hot, (1) Ground	1	AEV
06-EC-03J0		-- LOCATION: Inside Cab Center Console	1	AEV
06-EC-03A2		-- Radio Power No 2: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03C1	S	-- Radio Power Source: (1) Ignition Hot, (1) Constant Hot, (1) Ground	1	AEV
06-EC-03G2		-- LOCATION: Behind Driver's Seat	1	AEV
06-EC-03A3		-- Radio Power No 3: 30A, Pos and Neg, 10 awg Wires	1	AEV
06-EC-03C1	S	-- Radio Power Source: (1) Ignition Hot, (1) Constant Hot, (1) Ground	1	AEV
06-EC-03E0		-- LOCATION: Behind Action Area Board	1	AEV
		<b>ANTENNA LEADS</b>		AEV
06-RR-1710		-- Antenna Base w/ Coaxial Cable: KE794 #1	1	AEV
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	AEV
06-RR-1760	<	-- Roof Location: Roof Port #1	1	AEV
		MOUN-K794		
		Line up with edge of curbside entry door, centered side to side as near as possible.		
06-RR-1772	<	-- Termination Point: Inside Center Console	1	AEV
		MOUN-K794		

PART NO	S	DESCRIPTION	QTY	ID
06-RR-1712		-- Antenna Base w/ Coaxial Cable: KE794 #2	1	AEV
06-RR-0102	<	-- ORIGINATION POINT: Roof Port No 2 Roof Port No 2 is located approximately 24 inches back rearward of roof port #1.	1	AEV
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	AEV
06-RR-1771	<	-- Termination Point: Behind Driver's Seat MOUN-K794	1	AEV
06-RR-1714		-- Antenna Base w/ Coaxial Cable: KE794 #3	1	AEV
06-RR-0103	<	-- ORIGINATION POINT: Roof Port No 3 Roof Port No 3 is located approximately 24 inches back rearward of roof port #2.	1	AEV
06-RR-01P0		-- Port Plate: None - Access thru center upholstery panel	1	AEV
06-RR-1774	<	-- Termination Point: Behind A/A Board MOUN-K794	1	AEV
06-RR-13A0		-- Conduit No 1: 2", with pull wire	1	AEV
06-RR-1303		-- CONDUIT ORIGINATION POINT: Behind A/A Board (Panel)	1	AEV
06-RR-13T6		-- CONDUIT TERMINATION POINT: In Cab Console	1	AEV
06-RR-1809		-- Patient Area Radio : None	1	AEV
06-SO-0000		125V SHORE LINE AND OUTLETS	1	AEV
06-00-0001	S	-- Additional Circuit Breaker Located in M1A	1	AEV
06-SO-0500	< >	-- Shore Line Inlet: 20A Super Auto Eject, ILOS >> Access plate either interior or exterior mounting plate required <<	1	AEV
06-SO-00L1		-- Inlet location: Aft of Left Front compartment	1	AEV
06-SO-080P	>	-- EZ Mounting Plate W/ Green Indicator Light: Kussmaul 091-159-081-120	1	AEV
06-SO-1015		-- Cover, Red, Shore Line Inlet : 20A Super Auto Eject, ILOS	1	AEV
06-SO-10TT	<	-- Inpower Timer: VCM-05-01SF, Installed NOTE: This allows the auto eject to be wired to the ignition switch In lieu of splicing into the OEM starter circuit and is required any this vehicle	1	AEV
06-SO-10N0		-- Battery Status Panel: Kussmaul #091-189-12	1	AEV
06-SO-1000		-- Battery Status Panel Location: Directly above the Shoreline Inlet	1	AEV
06-SO-1400		-- **125 Volt OUTLETS**	1	AEV
06-SO-13M1	>	-- 125 VAC W Dual USB & Power Light Outlet, No 1: 20A, Hospital Grade, White ILOS	1	AEV
06-SO-14L1	>	-- LOCATION: Action Area, standard location	1	AEV
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV
06-SO-13M2	>	-- 125 VAC W Dual USB & Power Light Outlet, No 2: 20A, Hospital Grade, White ILOS	1	AEV
06-SO-14L3	>	-- LOCATION: RF ALS, (See Drawing)	1	AEV
06-SO-1402		-- Outlet mounting ORIENTATION: Vertical	1	AEV
06-SO-13M3	>	-- 125 VAC W Dual USB & Power Light Outlet, No 3: 20A, Hospital Grade, White IATS	1	AEV
06-SO-14L2	S <	-- LOCATION: Curbside, see Drawing Between C/S Seating	1	AEV
06-SO-1402	S	-- Outlet mounting ORIENTATION: Horizontal	1	AEV
06-SO-13M4	>	-- 125 VAC W Dual USB & Power Light Outlet, No 4: 20A, Hospital Grade, White IATS	1	AEV
06-SO-14L2	S <	-- LOCATION: Curbside, see Drawing Above Squad Head Storage Cabinet	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
06-SO-1402		-- Outlet mounting <b>ORIENTATION: Vertical</b>	1	AEV
06-SO-13M5	>	-- 125 VAC W Dual USB & Power Light Outlet, No 5: 20A, Hospital Grade, White IATS	1	AEV
06-SO-14L7	S <	-- <b>LOCATION: Special Location - (See Drawing)</b> Bulkhead Above the Cabinet J Countertop	1	AEV
06-SO-1402		-- Outlet mounting <b>ORIENTATION: Vertical</b>	1	AEV
06-SO-1100		**INTERIOR 12 Volt OUTLETS**	1	AEV
06-SO-10XZ		-- 12 Volt outlets two separate single outlets	1	AEV
06-SO-10Y0		-- 12V Outlet, No 1: Power Point Single - Wire thru Med Isolator	1	AEV
06-SO-11L1	>	-- <b>LOCATION: Action Area, standard location</b>	1	AEV
06-SO-1402		-- Outlet mounting <b>ORIENTATION: Vertical</b>	1	AEV
06-SO-1910		-- Power Source: Medical Isolator , Batt Sw Hot	1	AEV
06-SO-1102		-- 12V Outlet, No 2: Power Point - Single wire thru Med Isolator	1	AEV
06-SO-11L3		-- <b>LOCATION: RF ALS, (See Drawing)</b>	1	AEV
06-SO-1402		-- Outlet mounting <b>ORIENTATION: Vertical</b>	1	AEV
06-SO-1913		-- Power Source: The SAME as outlet No 1	1	AEV
06-SO-1103	>	-- 12V Outlet, No 3: Power Point - Single -Wire thru Med Isolator	1	AEV
06-SO-11L2		-- <b>LOCATION: CS Wall panel, see print</b>	1	AEV
06-SO-1402		-- Outlet mounting <b>ORIENTATION: Vertical</b>	1	AEV
06-SO-1913		-- Power Source: The SAME as outlet No 1	1	AEV
06-SO-1127		-- Hard Wired 12V Circuit, For Customer/Dealer Supplied Component	1	AEV
06-EC-1410	S	-- Location: Cabinet P	1	AEV
06-SO-1912	>	-- Power Source: Medical Isolator , Battery (CONSTANT) Hot	1	AEV
06-SO-1161	<	-- 12V Outlet, DUAL USB Fast 4.8A., 2.4 A per slot Round IATS <b>EACH</b> Includes waterproof cover.	2	AEV
26-SO-11L5	S	-- <b>LOCATION: In Cab Console</b>	2	AEV
06-SS-06P4	<	Siren: Federal PA-640, ILOS F Series ILOS Siren with lightbar controller, hard wired microphone. SIRE-pa640	1	AEV
06-SS-070L	>	-- Location, Siren Head: Front of engine cover Console	1	AEV
06-SS-DF00	< >	-- Siren Speakers: Federal # ES100-ESMFT-EF, Ford F-350/450/550 2021+ILOS These speakers require a recessed mount requiring a hole in the outer end of the front bumper.	1	AEV
06-SS-SW01	>	-- Siren / OEM Horn Switch: In Cab Console	1	AEV
06-SS-SW04		-- microphone clip not installed Tie to Siren Microphone cord.	1	AEV
06-SS-1313		Air Horn System: BUELL - F1	1	AEV
06-SS-1304	S	-- Air Horns <b>ACTIVATION: White Rocker Switch in Console</b>	1	AEV
06-SS-1305	>	-- Air Tank Mounted to Frame Rail	1	AEV
06-SS-1310	S	-- When Vehicle is in Gear	1	AEV
06-SS-1440		-- Compressor: Buel No 1612-2, Quick Recovery ILOS	1	AEV
06-SS-1345	S	-- Compressor Location: M1A Compartment	1	AEV
06-SS-13F2	< >	-- Air Horn Location: Under Front Bumper, F-450 and F-550 2017 + For F-550 may require recess cut into ABS valance - Air Dam.	1	AEV
06-SS-1321		-- Left Air Horn: 10" Buel Strombos Horn, Chrome, No 1061 (493 Hz)	1	AEV
06-SS-1332	>	-- Right Air Horn: 12" Strombos Horn, Chrome, No 1062 (396 Hz)	1	AEV
06-SS-13M0	>	-- Air horn mounted system Standard chrome finish	2	AEV
06-SS-1196	< >	Siren, Federal Rumbler, IATS, w/Bracket 2017+ F-450/550 for a single rumbler installed under the front of the chassis.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		<b>CABINET SHOP - Modular</b>		<b>AEV</b>
07-00-0181	<	<b> -- Aluminum Cab Consoles contained in the Electrical System Section</b>	1	AEV
		Duplicate Notification location. Please pick the appropriate code at the Electrical console section for the upcharge.		
06-RR-S500	<	<b> -- Aluminum Console Drawing request</b>	1	AEV
		AEV Engineering to develop drawing for console and send to Account manager for approval prior to release.		
		Console to include standard items.		
		Removable top panel, inset		
		Front location for Switch panel.		
		all other items at special cost.		
07-00-0001	<	ALL DIMENSIONS ON ORDER WILL HAVE A VARIABLE OF + OR - 1/4"	1	AEV
		Unless specified as a minimum dimension.		
		<b>***Aluminum - Expanded PVC Cabinet Configuration 172 Type 1</b>		<b>AEV</b>
07-00-0006		-- TPR Matt : On Cabinet Floors, Drawers & Shelves, X-Series units	1	AEV
07-00-0030	<	-- Aluminum Cabinet Backer-Sound Barrier	1	AEV
		# INSU-KSU on back side of aluminum cabinets		
07-00-MB90		-- Interior Color Packages	1	AEV
07-00-MC83	<	<b> -- Mica Colors: Gloss White over Stainless Steel</b>	1	AEV
		Parting Line: C/S: Top of squad bench including rear filler.		
		S/S: To CPR side seat.		
		Stainless Steel on above areas only. No other cabinet gets stainless, unless specified otherwise below.		
07-AS-1200	<	<b> -- Stainless Steel - FACE of Squad Bench including rear filler</b>	1	AEV
		End of squad bench shall be MICA.		
07-AS-1400		-- <b>Stainless Steel - Lower Face of Wall Cabinet - Included</b>	1	AEV
07-00-PC0P	>	-- <b>Polycarbonate Type/Color: Lexan - Gray Secure Latch</b>	1	AEV
07-00-PH01		-- <b>Window Handles: Full Length Extruded</b>	1	AEV
11-SX-0336	<	<b> -- Att Seat, EVS #1882 Child Safety Seat Gunmetal W/ Per4max Black Belt X ILOS</b>	1	AEV
		Per4Max Seat belt Black		
		recessed Child safety Belt Black		
		Vac form Gunmetal with slides		
		SEAT-LOGO AEV / REV		
07-SE-09X1	< >	<b> -- BASE: Swivel base for EVS Child Seat Option Handle on RIGHT X-ILOS</b>	1	AEV
		(2) Position Swivel, Forward or Rearward, Only		
		EVS handle is on right.		
11-SE-04A0		<b> -- Attendant Seat, Armrest: None</b>	1	AEV
07-AC-4500	<	-- AC CABINET: Evaporator,Location : Bulkhead X Series STD	1	AEV
		composite Over Walkthru		
		Composite Construction		
07-ZZ-ZZZZ	S <	<b> -- Bulkhead Cabinet J: Below Talk Through w/ Solid Surface Countertop</b>	1	AEV
		<b>NOTE: Telemetry Area Solid Surface has been Deleted</b>		
		<b>(2) Pull Out Drawers Facing Rear w/ Non Locking Round Pull Latches</b>		
		<b>Drawer Trays to be Non Painted w/ DA Finish</b>		

PART NO	S	DESCRIPTION	QTY	ID
07-CA-03XA	S < >	-- CURBSIDE UPPER: Over Squad Bench with Aluminum White Liners X -IATS Increase K Cabinet Height Due to Increased HR Depth to Match Cabinet P if Possible Approx 13.5" D for Medvault	1	AEV
07-CU-X107		-- Cabinet K1 & K2: (2) Openings with flush center divider	1	AEV
07-DR-LXX2		-- (K) Door: Single Flip Up 3/8" Lexan	2	AEV
07-DR-LZ20		-- Hinges: Reel Torque	2	AEV
07-HW-SO11	>	-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated	2	AEV
07-D0-0002	S < >	-- Curbside Upper, Optional Cabinet P Forward of K Cabinet Aisle Facing, Non Angled, To House a Knox Box Medvault Large Capacity Behind Door w/ Lock  Customer will Install the Medvault, Make sure the Medvault will Fit  Approx 13.5" D	1	AEV
07-DR-LXXE		-- Door, Single Solid, Flush - Drug Locker	1	AEV
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	AEV
07-DR-OR02		-- Hinge Orientation: BOTTOM	1	AEV
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV
07-HW-SI06	S >	-- Combination Lock: Simplex 9621 Push button Lock IATS	1	AEV
07-HW-SX12		-- Round Pull Latch: Locking - Chrome Finish 10 lb rated each	1	AEV
11-X0-0010	>	-- Stowage rating label - Southco round latch 10 pounds applied each	1	AEV
07-DR-M905		-- No cable stop requested for doors	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-CA-04A8	>	-- Cabinet, (3) Glove Storage, over C/S Entry Door	1	AEV
07-DR-LX04		-- Door: Overlay He, 3/8" Lexan - 3-glove dispense thru	1	AEV
07-HW-SO11	>	-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-CA-0400	S < >	-- CURBSIDE REAR: Rear of S/B, Mods Curbside Rear Cabinet and Drawers to be Recessed into M5 by approximately 12"  Cabinet to be Approx 18.5" H and Drawers to be Approx 3" H Each  Below Forward Facing Cabinet will be (3) Forward Facing Drawers w/ Non Locking Round Pull Latches Drawer Trays to be Non Painted w/ a DA Finish	1	AEV
07-CU-K103	S >	-- Cabinet L : (1) Opening with (2) Adj shelf, shelf std.	1	AEV
07-DR-LX22		-- Doors, Double, Overlay Hinged, 3/8" Lexan - LG	1	AEV
07-DR-LZ10		-- Hinges: Stainless Spring Loaded	4	AEV
07-DR-OR05		-- Hinge Orientation: (1) RIGHT and (1) LEFT	1	AEV
07-HW-FH04		-- Full Height Extruded Handles for Tall Lexan Doors	1	AEV
07-HW-SO11	>	-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated	2	AEV
07-ZZ-ZZZZ	S	-- (3) Drawers: Recessed into M5 Below Cabinet L - Forward Facing	1	AEV
07-LF-6403	S <	-- LF Cabinet, Behind Att Seat: Cabinet "H"/(Elec Cab) Composite, X-ILOS To Face the Rear	1	AEV
07-CA-VEN7		-- Plastic Vent: (2) Total, 1 column x 8 row, Vent 01	1	AEV
07-DR-WD0E		-- Door, Single Solid Flush Fitted Electrical Area	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
07-CA-2100		-- TRIM: U-shaped Door, J-trim opening	1	AEV
07-DR-OR03		-- Hinge Orientation: LEFT	1	AEV
07-HW-HIN1		-- Hinge: 1 1/2" Stainless Steel Piano Hinge	1	AEV
07-HW-SO11	>	-- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RF-4500		-- RF ALS Cabinet: Aluminum Composite Construction	1	AEV
07-CA-04AY		-- X series Angled Glove at RF ALS not required	1	AEV
07-RF-0003		-- Interior Color: White Anti-Microbial Powder Coated	1	AEV
07-RF-I1X1	S	-- Cabinet I-1: Deleted	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RF-I2X0	S	-- Cabinet I-2: Same Ht as I-3	1	AEV
07-DR-LXXB	S <	-- Doors, Dual, Overlay Hinged, 3/8" Lexan - RF ALS Cabinet With Cable Stop	1	AEV
07-00-PH02		-- Window Handles: Full Length Extruded - Hinge Door	1	AEV
07-HW-SX15		-- Dual Round Pull Latches: Non-locking - Chrome 10 lb rated each	1	AEV
07-RA-IOA1		-- Outside Access: Thru M-7 (RF) Compartment door.	1	AEV
07-RF-000D		-- Interior of ALS I-2 thru-4 to be Polished Aluminum Diamond Plate IATS	1	AEV
07-TS-12X2		-- Shelf Track: Small Alum. Unistrut, X-Series, RF ALS cabinet	1	AEV
07-CA-06VD	S <	-- (2) Shelves: Adjustable, Aluminum, White Anti-Microbial coated, STD (1) Shelf in I-2 and (1) Shelf in I-3 w/ Fixed Shelf Separating I-2 and I-3	1	AEV
07-RF-I3X0	S	-- Cabinet I-3: Same Ht as I-2	1	AEV
07-DR-LXX7		-- Doors Dual, Overlay Hinged, 3/8" Lexan - Large Cabinet	1	AEV
07-00-PH02	S <	-- Window Handles: Full Length Extruded - Hinge Door With Dual Round Pull Latches	1	AEV
07-DR-LZ10		-- Hinges: Stainless Spring Loaded	1	AEV
07-DR-M907	< >	-- Cable stop installed on door (Each) >> Customer confirms angle ??	1	AEV
07-RA-IOA1		-- Outside Access: Thru M-7 (RF) Compartment door.	1	AEV
07-RF-000D	S	-- Interior of ALS I-2 thru-4 to be Polished Aluminum Diamond Plate IATS	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-RR-0064		-- Right Rear Cabinet: Cover over M-5 Compartment	1	AEV
07-SA-0000		--	1	AEV
07-SB-4500		-- SQUAD BENCH: Aluminum Composite Construction X Series	1	AEV
07-SB-0001		-- See Upholstery Section for Post and Wheel Cup info	1	AEV
07-SB-1001		-- Storage Under Lid - Configure to M-6 Compartment Size	1	AEV
07-SB-LIDY		-- Squad Bench Lid: Single, One pc, 1-section	1	AEV
07-SB-LH00		-- Hinge, Squad Bench Lid(s): Butt Style Hinges	1	AEV
07-SB-LH03		-- Lid Checks: Gas shock, Dual Action	1	AEV
07-SB-LH07	>	-- Latch, Squad Bench Lid: Slam Action Paddle, W keeper -80 lb rated	1	AEV
07-TR-SB01		-- Edge Trim, Lids: Band w/ Laminate and J-Trim Protection	1	AEV
08-MH-1404	>	-- Restraint Net, at head of S/B, NONE	1	AEV
08-ZZ-ZZZZ	S <	-- Squad Head Storage Cabinet w/ Solid Surface Countertop Reinforce Countertop for Future Installation of Monitor Mount  (2) Rear Facing Drawers w/ Locking Round Pull Latches Drawer Trays to be Non Painted w/ a DA Finish  Drawers to be Approx 4" H Each  Below Drawers will be Aisle Facing Waste Storage The Waste Storage will be a Tilt Out Door w/ Non Locking Round Pull	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		Latch with a Push In Flap for Access to a #8970 Container w/ Lid Removed		
07-TC-4500		-- TOP CABINETS, - w/ 72" HR, Aluminum Composite Construction X STD	1	AEV
<b>07-TC-A450</b>	<b>S &lt;</b>	<b> -- Cabinet A: 74" HR Aluminum Composite X std Hanging Cabinet Over Foot of SIS Bench Seat</b>	<b>1</b>	<b>AEV</b>
<b>07-DR-LXXA</b>	<b>S</b>	<b> -- Doors: Dual Lexan Doors on Aisle Side of Cabinet and on Forward Side of Cabinet</b>	<b>1</b>	<b>AEV</b>
07-DR-LZ20		-- Hinges: Reel Torque	1	AEV
<b>07-HW-SX11</b>	<b>S</b>	<b> -- (4) Round Pull Latch: Non-locking - Chrome Finish 10 lb rated each</b>	<b>1</b>	<b>AEV</b>
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	AEV
07-CA-06VB		-- (1) Shelf: Adjustable, Aluminum, White Anti-Microbial coated	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-TC-B450		-- Cabinet B: Ergonomically angled toward the CPR seat (72"HR) X Std	1	AEV
07-CB-DR75		-- Doors; Cabinet B Secure Latch Restocking Sliding Window Top hinged x -30lb	1	AEV
<b>07-XA-3800</b>	<b>&gt;</b>	<b> -- Divider System For Adjustable dividers w/ ABS slotted track - Each Cabinet</b>	<b>1</b>	<b>AEV</b>
<b>07-XA-38A0</b>		<b> -- Lexan Divider, Additional, requires option 07-XA-3800</b>	<b>10</b>	<b>AEV</b>
<b>07-DR-WD48</b>	<b>&lt;</b>	<b> -- Door Additional Single Solid, Flush - padded matching vinyl additional door on cabinet side, Install Foam padding and Vinyl on this door as possible.</b>	<b>1</b>	<b>AEV</b>
<b>07-CA-2100</b>		<b> -- TRIM: U-shaped Door, J-trim opening</b>	<b>1</b>	<b>AEV</b>
<b>07-DR-OR04</b>		<b> -- Hinge Orientation: RIGHT</b>	<b>1</b>	<b>AEV</b>
<b>07-HW-HIN1</b>		<b> -- Hinge: 1 1/2" Stainless Steel Piano Hinge</b>	<b>1</b>	<b>AEV</b>
<b>07-HW-SO11</b>	<b>&gt;</b>	<b> -- Round Pull Latch: Non-locking - Chrome Finish ILOS -10 lb rated</b>	<b>1</b>	<b>AEV</b>
<b>07-TS-12X0</b>	<b>S</b>	<b> -- Shelf Track: None</b>	<b>1</b>	<b>AEV</b>
<b>07-CA-06VB</b>	<b>S</b>	<b> -- (1) Shelf: Fixed, Centered w/ Adjustable Dividers Below Shelf</b>	<b>1</b>	<b>AEV</b>
07-ZZ-ZZZZ		--	1	AEV
07-WC-0000		--	1	AEV
07-WC-4500	<b>&gt;</b>	-- WALL CABINET: CPR Seat w/Telemetry, Aluminum Composite Construction X	1	AEV
<b>07-WC-AAX1</b>	<b>S</b>	<b> -- Action Area: Half Height ILOS</b>	<b>1</b>	<b>AEV</b>
<b>07-CA-480V</b>	<b>&lt; &gt;</b>	<b> -- 1/2" Solid Surface A/A Tray No Bio Waste, X-Series ILOS No sharps or trash cutouts requested.</b>	<b>1</b>	<b>AEV</b>
<b>07-CA-4819</b>		<b> -- Gibraltar (Solid Surface) Material COLOR: Northern Melange 9195ML</b>	<b>1</b>	<b>AEV</b>
<b>07-CA-4U08</b>		<b> -- Solid Surface extension in front of O1 X series std</b>	<b>1</b>	<b>AEV</b>
07-WC-AABD	<b>&gt;</b>	-- Action Area Board: Black Grip See Station No 6 for content	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-WC-O10X		-- Cabinet O1: Standard, Aluminum Composite Construction	1	AEV
07-DR-LXX5		-- (O1)Door: Single Overlay Lexan Hinged Right	1	AEV
07-DR-LZ10		-- Hinges: Stainless Spring Loaded	1	AEV
07-HW-SX11		-- Round Pull Latch: Non-locking - Chrome Finish 10 lb rated each	1	AEV
07-TS-12X0		-- Shelf Track: Small Alum. Unistrut, X-Series	1	AEV
<b>07-CA-06VA</b>		<b> -- (2) Shelves: Adjustable, Aluminum, White Anti-Microbial coated</b>	<b>1</b>	<b>AEV</b>

PART NO	S	DESCRIPTION	QTY	ID
07-WC-D003		-- Cabinet D: DELETE	1	AEV
07-ZZ-ZZZZ	S	-- Cabinet C: DELETE	1	AEV
07-WC-E003		-- Cabinet E: DELETE	1	AEV
07-ZZ-ZZZZ		--	1	AEV
07-WC-F64Y	S < >	-- Drawer F: Aluminum Composite Construction, Under A/A, Forward of S/S Seating Approximate interior dimensions 12" w x 6" h x 16" d  All Surfaces of Drawer Tray to be Non Painted w/ a DA Finish	1	AEV
07-HW-SL01	< >	-- Drawer Slides: Full Extension, Detachable 130 LB capacity STD 18" long Slides installed Vertical at Sides ONLY. 18" Long	1	AEV
07-HW-SX11		-- Round Pull Latch: Non-locking - Chrome Finish 10 lb rated each	1	AEV
07-ZZ-ZZZZ	S	-- Stainless Steel Countertop Rear of S/S Bench Cushion	1	AEV
07-WC-SS02	<	-- Side Seat: 24" - Single Position - Under Lid Storage w/Latch S/S Bench Seating Area to be 72" Long It will only have (1) Seating Position Toward the Front End of the Bench  There will be a Hanging Cabinet A Over the Rear of the 72" Bench Seating Area  Rear Most 21" of the Bench Seat to have a Stainless Steel Countertop under the Hanging Cabinet A and Flush with the Top of the Bench Seat Cushion Reinforce for Future Installation of Monitor Mount	1	AEV
07-WC-BA00		-- Hinge, CPR Seat Lid(s): Butt Style Hinges	1	AEV
07-WC-BR01		-- Back Rest: Fixed to Back Wall of CPR Seat w/clips	1	AEV
07-WC-ST52	>	-- CPR Seat, Lid check Gas shock dual action installed	1	AEV
07-WC-TAX1	S	-- Telemetry Area: None/Delete	1	AEV
08-SE-1702		-- P4 - 4-Point PER4MAX Restraint System - W/CPR	1	AEV
08-SE-1820	< >	-- (2) on Squad Bench, (1) CPR Side Seat Per4Max Black Belts Belt retractors must mount below the top of the seat.	1	AEV
08-SE-SB70	S < >	-- S/B: (3) Sec patient restraints - 9" Sleeves Face of Bench Located on S/S ILOS	1	AEV
08-SE-SB76		-- S/B: (3) Sec patient restraints - 5" Sleeves By Hinge	1	AEV
00-20-0072		-- Per4Max Four-Point Seatbelts: Accept and Install Full Feature	1	AEV
08-SH-0010	<	-- AEV RollTek Airbag - Base Offering ATT Seat + CPR, 220F-28378XA Base Offering, must be validated per cabinet design, seat choices and spacing parameters. Please request an SOPR to your Account Specialist >Base offering, One head cushion airbag near attendant seat, 1 Tubular airbag with BLACK trim, One CPR seat tubular airbag. Sensor mounting under Chassis cab passenger seat, chassis specific brackets. >> SRS System label must be installed below O2 Viewing window, Interior of Patient Area. 4.75" tall label x 6" Bright yellow.	1	AEV
07-ZZ-ZZZZ		-- <b>CABINET SET - CELL 4 - MOD</b>	1	AEV
08-00-00CX	>	-- Sub Floor, 3/4" Composite, STD	1	AEV
08-00-FL3A		Flooring: Loncoin II Flecks- #150, Onyx (Black)	1	AEV
08-00-FL0F	< >	-- Flooring Main Edge, 3" rec'd 3/4" White LED Pathfinder Lighted Roll-up Recessed roll up- requires 3/4" cabinet main face and squad main face.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		> Pathfinder White lights, cut to length installed in recess. >>>>> Requires additional choice of option 07-00-2005 <<<<<< Lights to activate when rear doors and curbside doors open ICON or switch in rear control panel to manually activate roll up lighting.		
		To Work w/ Check Out Timer IATS		
08-AS-0003		-- Rear Threshold, Covered with Black Speedliner, 6" W x Full W at rear doors	1	AEV
08-AS-0008		-- C/S Stepwell Threshold, Black Speedliner Covered Smooth Aluminum	1	AEV
08-ZZ-ZZZZ		--	1	AEV
08-CS-0001		COT MOUNT HARDWARE: (Full Size Mod)	1	AEV
08-CR-09PP	<	-- Cot Mount: Stryker, No 6390, Power Load, Prep ONLY >>NON COMPLIANT << This will have everything need for Customer/Dealer to install the Stryker Power Load system at a later date. Constant hot and ground service power provided, Prep will include, installation of Floor Plate Kit THIS DOES NOT INCLUDE ANY COT MOUNT >>>>> EXCEPTION TO 3.11.6 >> THIS is an incomplete installation, an exception is required, NON COMPLIANT installation.	1	AEV
08-CR-0420	>	-- Non-Compliant to SAE J3027, J3102 3.11.6 Patient Cot Mount Notice	1	AEV
08-CR-0421	>	-- Non-Compliant to SAE J3027, AMD 004 CAAS GV 1.0 C.11.6	1	AEV
08-CR-09PN		-- mass casualty kit not requested	1	AEV
08-CR-1001	<	-- 12v power for cot mount provided up through floor 12volt power for power load to be brought through floor, with Heat shrink connectors installed	1	AEV
08-CS-00PL	<	-- Cot Position No 1: PRIMARY CENTER POSITION, Maintain 12" between Cot and S/B.	1	AEV
08-CS-2000	< >	-- Primary Cot position under floor reinforcement Install 8 inch wide by 5 long 1/2" aluminum reinforcement at primary cot position. (Primary cot position only - REV Std) **If custom location is desired, must be specified below.	1	AEV
08-CS-3009		-- Cot mount set up for: Stryker Power-Pro 6506	1	AEV
08-CS-3009		-- Cot mount set up for: Stryker Power-Pro 6506	1	AEV
08-OS-04SX		OXYGEN / AIR / VACUUM System: X-Series	1	AEV
08-OS-0401	>	-- Oxygen Outlet No 1: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV
08-OS-040A		-- LOCATION: Action Area	1	AEV
08-OS-0402		-- Oxygen Outlet No 2: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV
08-OS-0380	>	-- LOCATION: Ceiling mounted in recessed ABS Housing ILOS	1	AEV
08-OS-0403		-- Oxygen Outlet No 3: Amico Console - Ohmeda/Ohio Diamond Style	1	AEV
08-OS-040D	>	-- LOCATION: Curbside Wall, over the head of the S/B	1	AEV
08-OS-090X	S < >	-- Port Cyl Rack No 1: Zico QR-D-2 - Horizontal D or Jumbo D - No Strap Req Through bolt the rack to metal.	1	AEV
08-OS-09L1	S >	-- Rack Location : In I-3 on Adjustable Shelf w/ Head Toward M7 Door	1	AEV
08-OS-1331	< >	-- Rack No 1: Adjustable AEV O2 Rack Green with 4 Ratchet Straps M/H Fits cylinders 7" diameter or more.	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
08-OS-11G1	<	-- Cylinder Type: OXYGEN - Green Colored Hose Regulator connection Nut: 9/16" RH thread.	1	AEV
08-OS-1301		-- Rack Location: Left Front, wall #2 near wall #3	1	AEV
08-OS-132M		-- Set up For M cylinder	1	AEV
<b>08-OS-1712</b>	>	-- <b>Regulator, Oxygen: Has LX1 Transducer, Inspected and Installed</b>	1	AEV
08-OS-1902		-- Regulator Wrench: Cast aluminum, OXYGEN w/ cable lanyard	1	AEV
<b>08-OS-1400</b>	<	-- <b>Electric Oxygen, 12V solenoid valve w/ manual by-pass</b> Location: In Action Area	1	AEV
08-OS-35ST		-- Vacuum System: SSCOR regulator/gauge panel in A/A	1	AEV
08-OS-3501	>	-- Collection Canister w Clip: Bemis, 1200 CC at Action Area	1	AEV
08-OS-3502		-- VAC Plumbing: Direct from panel to canister - NO Outlet	1	AEV
08-OS-3503		-- Vacuum Pump: 49 State	1	AEV
<b>08-OS-35L8</b>	>	-- <b>Location: M-1a Compartment</b>	1	AEV
08-ZZ-ZZZZ			1	AEV
<b>TRIM / DOOR ASSEMBLY - CELL 5</b>				
09-00-002S		-- Interior window and aluminum trim with standard satin finish- std	1	AEV
09-00-0001			1	AEV
09-00-000Z		*****Door Department X Series > New	1	AEV
02-BT-C85V		-- Handles, Ext: Tri-mark 1875, Free Float, Polished CNNC finish X-Series	1	AEV
02-BT-C85A	>	-- Interior Release: All Entry Doors, with bezel Emergency Access	1	AEV
09-B1-ED0X		-- Entry Door Panels, Windows and Hardware, X-Series Units	1	AEV
08-MH-0010		-- Interior Grab Handle Color: Gray Antimicrobial	1	AEV
<b>08-MH-0319</b>	<	-- <b>Grab Handle, CS Entry: (1) 3-pt "L" Shaped 90, Gray Antimicrobial ILOS</b> Install CS door handle after cabinet installation. Close the doors and check for pinch points or cabinet interference.	1	AEV
<b>08-MH-03E9</b>		-- <b>Grab Handles, Rear Access: (2) 3-pt "L" Shaped 90, Gray Antimicrobial</b>	1	AEV
<b>09-MH-2603</b>	S <	-- <b>Grab Rail, (1), 24" IATS, Gray Antimicrobial</b> Located : Forward End of Squad Bench Cabinet Stack Angled w/ Step Well	1	AEV
<b>09-AS-2300</b>	S < >	-- <b>Door Panels: Mica Upper / Stainless Steel Middle / Stainless Steel Lower</b> The mica and stainless are laminated to smooth aluminum.  Lower 10" of the Stainless Steel Lower Panels to be Diamond Grade Chevrons	1	AEV
<b>09-AS-2520</b>		-- <b>Curbside Lower Door Panel: Stainless</b>	1	AEV
09-WI-02BX	< >	-- "AUTO SHADE" Windows: Upper R/A Doors, Fixed Glass, X-STD 16.375" w x 19.3"H WIND-H0161 (2) WIND-SMART film (2)	1	AEV
<b>09-WI-06BX</b>	S >	-- <b>CSE Door Window: Upper C/S Access, Sliding ILOS</b>	1	AEV
09-WI-09BX	>	-- Inverter, "Auto Shade" Windows : Part of X series windows	1	AEV
09-IN-3STX	<	-- Insulation: All Module Doors, 2" Black Foam, X-Series units #INSU-ARM2	1	AEV
09-IN-3STY	<	-- Insulation: All Module Doors, Black Sound Proofing, X-Series units #INSU-KSU	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
09-MH-2530	< >	-- Grab Rail, (1), 18" Gray Antimicrobial Rear Entry Assist std. Located : Module interior at the rear entry, mounted to the M5 compartment filler. Rail is to be through bolted into M5.	1	AEV
09-MH-2702	>	-- Grab Rail, C/S wall, Various types C/S Entry, NONE	1	AEV
09-DR-WSL5	< >	Talk Through Bulkhead Window 100% w Black Bezel Radius Corners - Clear Window ECR-1066 Black Surround Bezel, no laminte, no trim, Advanced radius corners. 100% window opening to minimum of 150 sq inches talk thru	1	AEV
09-DR-WT20		-- Sliding Window Locking Pin: 1/4" with Lanyard	1	AEV
<b>09-FM-10X3</b>		<b>Dri-Dek Compt Floors and shelves, Black, STD X-Series</b>	<b>1</b>	<b>AEV</b>
<b>09-FM-11X7</b>	>	-- <b>Dri-Dek EDGES: Yellow, Beveled frontal edges</b>	<b>1</b>	<b>AEV</b>
07-ZZ-ZZZZ		--	1	AEV
		<b>ELECTRICAL Point to Point - CELL 6</b>		<b>AEV</b>
10-EB-13X2	>	Cabinet Light(s) : "DAY BRIGHT" LED White Lights, X-Series Units	1	AEV
<b>05-IL-13S1</b>	<	-- <b>Cab Interior Lights Switching: Thru MultiPlex System</b> <b>ALL Daybrights to Work w/ Check Out Timer IATS</b>  <b>Daybrights in I-2/I-3 to Work w/ M7 Compt Door Switch IATS</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y0		-- Daybright location 1	1	AEV
<b>10-EB-13YA</b>		-- <b>Daybright Light Location Cabinet A</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y1		-- Daybright location 2	1	AEV
<b>10-EB-13YB</b>		-- <b>Daybright Light Location Cabinet B</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y2		-- Daybright location 3	1	AEV
<b>10-EB-13YZ</b>	<b>S</b>	-- <b>Daybright Light Location Cabinet H2</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y3		-- Daybright location 4	1	AEV
<b>10-EB-13YM</b>		-- <b>Daybright Light Location Cabinet I-2</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y4		-- Daybright location 5	1	AEV
<b>10-EB-13YN</b>		-- <b>Daybright Light Location Cabinet I-3</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y5		-- Daybright location 6	1	AEV
<b>10-EB-13YK</b>		-- <b>Daybright Light Location Cabinet K</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y6		-- Daybright location 7	1	AEV
<b>10-EB-13YL</b>		-- <b>Daybright Light Location Cabinet K2</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y7		-- Daybright location 8	1	AEV
<b>10-EB-13YZ</b>	<b>S</b>	-- <b>Daybright Light Location Cabinet L</b>	<b>1</b>	<b>AEV</b>
10-EB-13Y8		-- Daybright location 9	1	AEV
<b>10-EB-13YO</b>		-- <b>Daybright Light Location Cabinet O1</b>	<b>1</b>	<b>AEV</b>
10-IL-02ST		Action Area Light: 12V, LED, Surface Mount	1	AEV
10-IL-02L7		-- Light Location: Action Area	1	AEV
		<b>UPHOLSTERY - CELL 7</b>		<b>AEV</b>
<b>11-00-UC01</b>		<b>Upholstery Color: Dark Gray (Gunmetal)</b>	<b>1</b>	<b>AEV</b>
<b>11-00-UC11</b>		-- <b>Center Trough Upholstery Color: Color Key to Rest of Truck</b>	<b>1</b>	<b>AEV</b>
11-00-UT0X		Uph Joint Type: "PREMIUM " Upgrade-X series Standard	1	AEV
11-SB-0005		Squad Bench seat cushion cut-outs: None	1	AEV
11-SB-0003		-- Post And Wheel Cups: NONE	1	AEV
11-SE-CSPD		Head Protection: Pad over CS Entry Door	1	AEV
11-SE-REPD		Head Protection: 2" Pad over Rear Access Doors, Full Width	1	AEV
<b>11-MC-1700</b>		-- <b>Clock: Intellitec Digital / Sweep Emergency Time Manager</b>	<b>1</b>	<b>AEV</b>
<b>11-MC-1800</b>		-- <b>Location: Over Rear Doors</b>	<b>1</b>	<b>AEV</b>
		<b>PAINT - STRIPES - DECALS</b>		<b>AEV</b>
12-PT-UNCT		-- Undercoating : Per QVM Guidelines, STD	1	AEV
12-DC-0001		Reflective Tape: White Reflective On Painted edges of Exterior Door Frame	1	AEV
12-DC-GA10		Compartment Finish: Diamond Plate Standard	1	AEV
<b>12-PT-0100</b>	<b>S &lt;</b>	<b>Primary (Over All) Color: Custom Black Over Red</b> <b>Chassis will be Ordered Ford OEM Agate Black Metallic</b> <b>and Painted Red FLNA3042 Below the Windows</b>	<b>1</b>	<b>AEV</b>

PART NO	S	DESCRIPTION	QTY	ID
		Box will be Painted Ford OEM Agate Black Metallic and Red FLNA3042 w/ Kick Up		
		Box Roof Painted White NOT Seen From Ground		
		Flat Panels on Rear to be Red Where the Chevrons Lay		
		Paint Spray Outs Required for Approval		
12-DC-0002	>	-- Flip Step Reflective/Prismatic Tape: Red/White/R/W/R/W/R	1	AEV
12-PT-0112		-- Tape Stripe: NONE (KKK-F Deviation)	1	AEV
11-YZ-0962		-- Non-Compliant to KKK-F 3.16.2 ; Exterior Safety stripe to be Orange	1	AEV
12-PT-0600		-- Paint Belt: NONE	1	AEV
12-PT-1000		-- Pin Stripe: NONE	1	AEV
12-ZZ-ZZZZ		--	1	AEV
12-PT-RF01	>	-- Roof Paint: Color and finish quality to be GLOSSY	1	AEV
12-PT-1000		Pin Stripe: NONE	1	AEV
12-ZZ-ZZZZ		--	1	AEV
12-PT-1314		-- <b>Outer Section: including doors</b>	1	AEV
12-PT-1328	<	-- <b>Full Rear Chevron, includes doors Diamond Grade Reflective: Double Color</b> See Below for Colors	1	AEV
12-PT-1380	S	-- <b>Main Color - Fluorescent Yellow Green</b>	1	AEV
12-PT-1382	S	-- <b>Second Color - Red</b>	1	AEV
12-PT-135F	S <	-- <b>Inside of (3) Entry Doors: Bottom 10" of Lower Panels, Double Colors Diamond grade materials. State Colors Required</b> <b>1st color Fluorescent Yellow Green</b> <b>2nd color Red</b>	1	AEV
12-PT-2000		Lettering: NONE	1	AEV
12-ZZ-ZZZZ		--	1	AEV
12-PT-DRIS	<	<b>Drip Rails: Bright Alum, De-burred &amp; rounded corners (SHIPPED LOOSE)</b> Include a drip rail over the C/S Entry Door shipped loose.  Add Shop Note to Shipped Loose Section of W/O	1	AEV
12-ZZ-ZZZZ			1	AEV
		<b>DETAIL - SHIP LOOSE ITEMS</b>		
12-PT-DRIZ	<	-- Drip Rails: Detail-Refer to Paint Section for Drip Rail Information Include a drip rail over the C/S Entry Door.	1	AEV
13-00-0200		-- *Check front of W/O under chassis section for Add' items*	1	AEV
13-10-XM00		-- Owner's Manual USB Flash Drive ship loose	1	AEV
13-10-XMA0		-- Printed Owner's Manual Not Required	1	AEV
13-MH-0500		-- <b>Fire Extinguisher, 5 pound, shipped loose, IATS</b>	1	AEV
13-00-0001			1	AEV
13-GL-0000		Glove Holder, Ship Loose: NONE	1	AEV
13-KK-KDED		<b>Decals: KKK / DOT Pkg, - NONE/DELETE</b>	1	AEV
13-RF-STAR		-- <b>Decals: Install 32" Star of Life on Mod Roof</b>	1	AEV
13-KK-NSSB		Decals: NO SMOKING & SEATBELT, installed, cab & pt. area.	1	AEV
13-KL-0013		<b>AEV Logos: SHIP LOOSE, Not Installed</b>	1	AEV
13-MH-05ST	>	Fire Extinguisher, 5 pound, shipped loose, Std	1	AEV
11-YZ-0932	<	-- Exception to 3.15.2 Required Two fire extinguishers installed by FSAM Fire extinguishers were not installed with one in the driver's cab, one in the patient compartment at the time of departure from the final stage Ambulance Manufacturer. The customer/FSAM has shipped them loose for the dealer to complete the	1	AEV

PART NO	S	DESCRIPTION	QTY	ID
		final install.		
11-ZZ-0932	<	-- Exception to C.16.1 1 Required Two fire extinguishers installed by FSAM Fire extinguishers were not installed iwth one in the driver's cab, one in the patient compartment at the time of departure from the final stage Ambulance Manufacturer.	1	AEV
<b>13-MH-10A3</b>	<	<b>Reflector Pkg: SHIP LOOSE, For Body - 2ea, Side Fr Amb, Side Rr Rd, Rr</b> Stick-on reflectors: Peterson "Spitfire" B484R and B484A LOCATIONS: In lower corners of module (2) - (1) each side and Front - AMBER (2) - (1) each side and Rear - RED (2) - On Rear of body - RED	1	AEV
13-SB-0003		Post And Wheel Cups: NONE	1	AEV
13-SP-TIRE		Spare Tire: Refer To Chassis Section to See if it gets one.	1	AEV
34-XX-5000	<	Indemnification Statement The purchaser agrees to defend, indemnify and hold REV harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by any alteration or modification of, or changes or additions to the Purchased Products OR use of product for purposes it was not designed or intended for.	1	AEV
		<b>== 172 x 96 T-1 LWB Ford X Base Price - 36.001 04/03/23 ==</b>		AEV
		<b>GENERAL CONVERSION</b>		AEV
<b>03-15-003H</b>		<b>**172** F-550 4 x 4 (X-Series ) Diesel Conv PKG 23-1 10/01/22</b>	1	AEV
36-AA-0001		WORK ORDER STATUS:	1	AEV
00-90-0301		-- For Confirmation	1	AEV
36-CO-0001		-- CHANGE ORDER POLICY	1	AEV
36-CO-0010	<	-- After Confirmation, Prior to Engineering Change Fee is \$100 Per Item, Plus Option Cost	1	AEV
36-CO-0030	<	-- After Confirmation, After Production Start Change Fee is \$200 Per Item, Plus 200% Option Cost Additional labor charges above option costs may apply to accomodate the change at \$200 per hour. Special order or non-stocking parts that are purchased for any ordered option that is subsequently deleted will be charged for and shipped loose. >> Changes after production starts are the most disruptive.	1	AEV
36-CO-0035	<	-- Change Order Recieved at Delivery ; \$300 charge per item, plus three times the standard option cost AND Any additional labor to accomodate the change at \$200 per hour, Effective 01/28/2022	1	AEV
36-EO-0001		-- ***END OF ORDER***	1	AEV

# H-GAC

Houston-Galveston Area Council

P.O. Box 22777 · 3555 Timmons · Houston, Texas 77227-2777

Cooperative Agreement - American Response Vehicles, Inc. - Public Services - ID 6252

## LIMITED CONTRACT ASSIGNMENT AND ASSUMPTION AGREEMENT

This Limited Contract Assignment and Assumption Agreement is made by and between the Houston-Galveston Area Council hereinafter referred to as H-GAC, Halcore Group Inc (Contractor) at 165 American Way, Jefferson, NC 28640 and American Response Vehicles, Inc., (Contractor) at 521 Hillside Road, Columbia, MO 65201.

WHEREAS, Contractor entered into a cooperative purchasing Contract, identified as AM10-20, with H-GAC for the sale of Ambulances, EMS & Other Special Service Vehicles to various End User governmental agencies participating in H-GAC's Cooperative Purchasing Program; and

WHEREAS, Contractor wishes to assign certain of its rights and obligations under the Parent Contract ID 5729 to Assignee and retain the remainder; and

WHEREAS, Assignee wishes to accept the limited assignment of the Contract; and

WHEREAS, H-GAC is willing to consent to the limited assignment provided that the Assignee agrees to comply with all terms of the Contract;

WHEREAS, This Agreement shall be performed during the period which begins Oct 01 2020 and ends Sep 30 2022. All products or services under this Agreement must be rendered within this performance period, known as the Effective Date.

NOW THEREFORE, the parties agree as follows:

**Section 1** Contractor hereby assigns to Assignee all its rights and obligations under the Contract with respect to the following:

**Right to sell products/services:** H-GAC Product Codes AM20AA01-AM20AA06, AM20AA08, AM20AA10, AM20AA12, AM20AA14, AM20AA18, AM20AA20, AM20AA22, AM20AA24-AM20AA32, and AM20AE01-AM20AE10 only

**Right to sell products/services in the following geographical area:** Illinois, Indiana, Iowa, Kansas, Kentucky, Missouri, and Nebraska

**Right to administer Purchase Orders:** N/A

**Section 2** Assignee accepts the assignment from the Contractor and assumes the obligation to provide the products and services specified in Section 1 and to otherwise perform all applicable obligations of the Contractor under the Contract on and after the Effective Date. Contractor will continue to be responsible for all actions taken by Contractor and Purchase Orders processed under the Contract prior to the Effective Date.

**Section 3** Contractor reserves to itself the exclusive right to provide all the products and services described in the Contract, except those specifically assigned to Assignee pursuant to Section 1 hereof.

**Section 4** H-GAC hereby consents to such limited assignment and assumption.

**This Agreement goes into effect as of the date first written above. All other terms and conditions of the Contract shall remain unchanged and in full force and effect.**

IN WITNESS WHEREOF, the parties have caused this Contract Limited Assignment and Assumption Agreement to be executed by their respective duly authorized representatives.

**H-GAC**

Signature 

Name Chuck Wemple

Title Executive Director

Date 2/1/2021

**Halcore Group Inc (Contractor)**

Signature 

Name Randy Barr

Title Brand Manager

Date 1/29/2021

**American Response Vehicles, Inc. (Assignee)**

Signature 

Name Blake Clifton

Title President

Date 1/29/2021



# H-GAC

Houston-Galveston Area Council  
P.O. Box 22777 · 3555 Timmons · Houston, Texas 77227-2777

---

Cooperative Agreement - Halcore Group Inc - Public Services --ID: 5729 20-01183

## GENERAL PROVISIONS

This Agreement is made and entered into, by and between the Houston-Galveston Area Council hereinafter referred to as H-GAC having its principal place of business at 3555 Timmons Lane, Suite 120, Houston, Texas 77027 and Halcore Group Inc, hereinafter referred to as the Contractor, having its principal place of business at 165 American Way, Jefferson, NC 28640.

WITNESSETH:

WHEREAS, H-GAC hereby engages the Contractor to perform certain services in accordance with the specifications of the Agreement; and

WHEREAS, the Contractor has agreed to perform such services in accordance with the specifications of the Agreement;

NOW, THEREFORE, H-GAC and the Contractor do hereby agree as follows:

### **ARTICLE 1: LEGAL AUTHORITY**

The Contractor warrants and assures H-GAC that it possesses adequate legal authority to enter into this Agreement. The Contractor's governing body, where applicable, has authorized the signatory official(s) to enter into this Agreement and bind the Contractor to the terms of this Agreement and any subsequent amendments hereto.

### **ARTICLE 2: APPLICABLE LAWS**

The Contractor agrees to conduct all activities under this Agreement in accordance with all applicable rules, regulations, directives, standards, ordinances, and laws, in effect or promulgated during the term of this Agreement, including without limitation, workers' compensation laws, minimum and maximum salary and wage statutes and regulations, and licensing laws and regulations. When required, the Contractor shall furnish H-GAC with satisfactory proof of its compliance therewith.

### **ARTICLE 3: INDEPENDENT CONTRACTOR**

The execution of this Agreement and the rendering of services prescribed by this Agreement do not change the independent status of H-GAC or the Contractor. No provision of this Agreement or act of H-GAC in performance of the Agreement shall be construed as making the Contractor the agent, servant or employee of H-GAC, the State of Texas or the United States Government. Employees of the Contractor are subject to the exclusive control and supervision of the Contractor. The Contractor is solely responsible for employee related disputes and discrepancies, including employee payrolls and any claims arising therefrom.

### **ARTICLE 4: WHOLE AGREEMENT**

The General Provisions, Special Provisions, and Attachments, as provided herein, constitute the complete Agreement ("Agreement") between the parties hereto, and supersede any and all oral and written agreements between the parties relating to matters herein. Except as otherwise provided herein, this Agreement cannot be modified without written consent of the parties.

### **ARTICLE 5: SCOPE OF SERVICES**

The services to be performed by the Contractor are outlined in an Attachment to this Agreement.

**ARTICLE 6: PERFORMANCE PERIOD**

This Agreement shall be performed during the period which begins Oct 01 2020 and ends Sep 30 2022. All services under this Agreement must be rendered within this performance period, unless directly specified under a written change or extension provisioned under Article 14, which shall be fully executed by both parties to this Agreement.

**ARTICLE 7: PAYMENT OR FUNDING**

Payment provisions under this Agreement are outlined in the Special Provisions.

**ARTICLE 8: REPORTING REQUIREMENTS**

If the Contractor fails to submit to H-GAC in a timely and satisfactory manner any report required by this Agreement, or otherwise fails to satisfactorily render performances hereunder, H-GAC may terminate this agreement with notice as identified in Article 15 of these General Provisions. H-GAC has final determination of the adequacy of performance and reporting by Contractor. Termination of this agreement for failure to perform may affect Contractor's ability to participate in future opportunities with H-GAC. The Contractor's failure to timely submit any report may also be considered cause for termination of this Agreement.

Any additional reporting requirements shall be set forth in the Special Provisions of this Agreement.

**ARTICLE 9: INSURANCE**

Contractor shall maintain insurance coverage for work performed or services rendered under this Agreement as outlined and defined in the attached Special Provisions.

**ARTICLE 10: SUBCONTRACTS and ASSIGNMENTS**

Except as may be set forth in the Special Provisions, the Contractor agrees not to subcontract, assign, transfer, convey, sublet or otherwise dispose of this Agreement or any right, title, obligation or interest it may have therein to any third party without prior written approval of H-GAC. The Contractor acknowledges that H-GAC is not liable to any subcontractor or assignee of the Contractor. The Contractor shall ensure that the performance rendered under all subcontracts shall result in compliance with all the terms and provisions of this Agreement as if the performance rendered was rendered by the Contractor. Contractor shall give all required notices, and comply with all laws and regulations applicable to furnishing and performance of the work. Except where otherwise expressly required by applicable law or regulation, H-GAC shall not be responsible for monitoring Contractor's compliance, or that of Contractor's subcontractors, with any laws or regulations.

**ARTICLE 11: AUDIT**

Notwithstanding any other audit requirement, H-GAC reserves the right to conduct or cause to be conducted an independent audit of any transaction under this Agreement, such audit may be performed by the H-GAC local government audit staff, a certified public accountant firm, or other auditors designated by H-GAC and will be conducted in accordance with applicable professional standards and practices. The Contractor understands and agrees that the Contractor shall be liable to the H-GAC for any findings that result in monetary obligations to H-GAC.

**ARTICLE 12: EXAMINATION OF RECORDS**

The Contractor shall maintain during the course of the work complete and accurate records of all of the Contractor's costs and documentation of items which are chargeable to H-GAC under this Agreement. H-GAC, through its staff or designated public accounting firm, the State of Texas, and United States Government, shall have the right at any reasonable time to inspect, copy and audit those records on or

off the premises by authorized representatives of its own or any public accounting firm selected by H-GAC. The right of access to records is not limited to the required retention period, but shall last as long as the records are retained. Failure to provide access to records may be cause for termination of the Agreement. The records to be thus maintained and retained by the Contractor shall include (without limitation): (1) personnel and payroll records, including social security numbers and labor classifications, accounting for total time distribution of the Contractor's employees working full or part time on the work, as well as cancelled payroll checks, signed receipts for payroll payments in cash, or other evidence of disbursement of payroll payments; (2) invoices for purchases, receiving and issuing documents, and all other unit inventory records for the Contractor's stocks or capital items; and (3) paid invoices and cancelled checks for materials purchased and for subcontractors' and any other third parties' charges.

The Contractor further agrees that the examination of records outlined in this article shall be included in all subcontractor or third-party agreements.

### **ARTICLE 13: RETENTION OF RECORDS**

The Contractor and its subcontractors shall maintain all records pertinent to this Agreement, and all other financial, statistical, property, participant records, and supporting documentation for a period of no less than seven (7) years from the later of the date of acceptance of the final payment or until all audit findings have been resolved. If any litigation, claim, negotiation, audit or other action involving the records has been started before the expiration of the retention period, the records shall be retained until completion of the action and resolution of all issues which arise from it, or until the end of the seven (7) years, whichever is later, and until any outstanding litigation, audit, or claim has been fully resolved.

### **ARTICLE 14: CHANGES AND AMENDMENTS**

- A. Any alterations, additions, or deletions to the terms of this Agreement, which are required by changes in federal or state law or by regulations, are automatically incorporated without written amendment hereto, and shall become effective on the date designated by such law or by regulation.
- B. To ensure the legal and effective performance of this Agreement, both parties agree that any amendment that affects the performance under this Agreement must be mutually agreed upon and that all such amendments must be in writing. After a period of no less than 30 days subsequent to written notice, unless sooner implementation is required by law, such amendments shall have the effect of qualifying the terms of this Agreement and shall be binding upon the parties as if written herein.

### **ARTICLE 15: TERMINATION PROCEDURES**

The Contractor acknowledges that this Agreement may be terminated for Convenience or Default.

- A. *Convenience*  
H-GAC may terminate this Agreement at any time, in whole or in part, with or without cause, whenever H-GAC determines that for any reason such termination is in the best interest of H-GAC, by providing written notice by certified mail to the Contractor. Upon receipt of notice of termination, all services hereunder of the Contractor and its employees and subcontractors shall cease to the extent specified in the notice of termination.

The Contractor may cancel or terminate this Agreement upon submission of thirty (30) days written notice, presented to H-GAC via certified mail. The Contractor may not give notice of cancellation after it has received notice of default from H-GAC.

- B. *Default*

H-GAC may, by written notice of default to the Contractor, terminate the whole or any part of the Agreement, in any one of the following circumstances:

- (1) If the Contractor fails to perform the services herein specified within the time specified herein or any extension thereof; or
- (2) If the Contractor fails to perform any of the other provisions of this Agreement for any reason whatsoever, or so fails to make progress or otherwise violates the Agreements that completion of services herein specified within the Agreement term is significantly endangered, and in either of these two instances does not cure such failure within a period often (10) days (or such longer period of time as may be authorized by H-GAC in writing) after receiving written notice by certified mail of default from H-GAC.

#### **ARTICLE 16: SEVERABILITY**

H-GAC and Contractor agree that should any provision of this Agreement be determined to be invalid or unenforceable, such determination shall not affect any other term of this Agreement, which shall continue in full force and effect.

#### **ARTICLE 17: FORCE MAJEURE**

To the extent that either party to this Agreement shall be wholly or partially prevented from the performance of any obligation or duty placed on such party by reason of or through strikes, stoppage of labor, riot, fire, flood, acts of war, insurrection, accident, order of any court, act of God, or specific cause reasonably beyond the party's control and not attributable to its neglect or nonfeasance, in such event, the time for the performance of such obligation or duty shall be suspended until such disability to perform is removed. Determination of force majeure shall rest solely with H-GAC.

#### **ARTICLE 18: CONFLICT OF INTEREST**

No officer, member or employee of the Contractor or subcontractor, no member of the governing body of the Contractor, and no other public officials of the Contractor who exercise any functions or responsibilities in the review or Contractor approval of this Agreement, shall participate in any decision relating to this Agreement which affects his or her personal interest, or shall have any personal or pecuniary interest, direct or indirect, in this Agreement.

#### **ARTICLE 19: FEDERAL COMPLIANCE**

Contractor agrees to comply with all federal statutes relating to nondiscrimination, labor standards, and environmental compliance. Additionally, for work to be performed under the Agreement or subcontract thereof, including procurement of materials or leases of equipment, Contractor shall notify each potential subcontractor or supplier of the Contractor's federal compliance obligations. These may include, but are not limited to: (a) Title VI of the Civil Rights Act of 1964 (P.L. 88-352) which prohibits discrimination on the basis of race, color or national origin; (b) Title IX of the Education Amendments of 1972, as amended (20 U.S.C. §§ 1681-1683, and 1685-1686), which prohibits discrimination on the basis of sex; (c) the Fair Labor Standards Act of 1938 (29 USC 676 et. seq.), (d) Section 504 of the Rehabilitation Act of 1973, as amended (29 U.S.C. § 794), which prohibits discrimination on the basis of handicaps and the Americans with Disabilities Act of 1990; (e) the Age Discrimination in Employment Act of 1967 (29 USC 621 et. seq.) and the Age Discrimination Act of 1974, as amended (42 U.S.C. §§ 6101-6107), which prohibits discrimination on the basis of age; (f) the Drug Abuse Office and Treatment Act of 1972 (P.L. 92-255), as amended, relating to nondiscrimination on the basis of drug abuse; (g) the Comprehensive Alcohol Abuse and Alcoholism Prevention, Treatment and Rehabilitation Act of 1970 (P.L. 91-616), as amended, relating to the nondiscrimination on the basis of alcohol abuse or alcoholism; (h) §§ 523 and 527 of the Public Health Service Act of 1912 (42 U.S.C. 290 dd-3 and 290 ee-3), as amended, relating to confidentiality of alcohol and drug abuse patient records; (i) Title VIII of the Civil Rights Act of 1968 (42 U.S.C. § 3601 et seq.), as amended, relating to nondiscrimination in the sale, rental or financing of housing; (j) any other nondiscrimination provisions in any specific statute(s)

applicable to any Federal funding for this Agreement; (k) the requirements of any other nondiscrimination statute(s) which may apply to this Agreement; (l) applicable provisions of the Clean Air Act (42 U.S.C. §7401 et seq.), the Federal Water Pollution Control Act, as amended (33 U.S.C. §1251 et seq.), Section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and the Environmental Protection Agency regulations at 40 CFR Part 15; (m) applicable provisions of the Davis- Bacon Act (40 U.S.C. 276a - 276a-7), the Copeland Act (40 U.S.C. 276c), and the Contract Work Hours and Safety Standards Act (40 U.S.C. 327-332), as set forth in Department of Labor Regulations at 20 CFR 5.5a; (n) the mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (P.L. 94-163).

#### **ARTICLE 20: CRIMINAL PROVISIONS AND SANCTIONS**

The Contractor agrees to perform the Agreement in conformance with safeguards against fraud and abuse as set forth by the H-GAC, the State of Texas, and the acts and regulations of any related state or federal agency. The Contractor agrees to promptly notify H-GAC of any actual or suspected fraud, abuse, or other criminal activity through the filing of a written report within twenty-four (24) hours of knowledge thereof. Contractor shall notify H-GAC of any accident or incident requiring medical attention arising from its activities under this Agreement within twenty-four (24) hours of such occurrence. Theft or willful damage to property on loan to the Contractor from H-GAC, if any, shall be reported to local law enforcement agencies and H-GAC within two (2) hours of discovery of any such act.

The Contractor further agrees to cooperate fully with H-GAC, local law enforcement agencies, the State of Texas, the Federal Bureau of Investigation and any other duly authorized investigative unit, in carrying out a full investigation of all such incidents.

The Contractor shall notify H-GAC of the threat of lawsuit or of any actual suit filed against the Contractor pertaining to this Agreement or which would adversely affect the Contractor's ability to perform services under this Agreement.

#### **ARTICLE 21: INDEMNIFICATION AND RECOVERY**

H-GAC's liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to its order processing charge. In no event will H-GAC be liable for any loss of use, loss of time, inconvenience, commercial loss, lost profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor agrees, to the extent permitted by law, to defend and hold harmless H-GAC, its board members, officers, agents, officials, employees and indemnities from any and all claims, costs, expenses (including reasonable attorney fees), actions, causes of action, judgements, and liens arising as a result of Contractor's negligent act or omission under this Agreement. Contractor shall notify H-GAC of the threat of lawsuit or of any actual suit filed against Contractor relating to this Agreement.

#### **ARTICLE 22: LIMITATION OF CONTRACTOR'S LIABILITY**

Except as specified in any separate writing between the Contractor and an END USER, Contractor's total liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, but excluding its obligation to indemnify H-GAC, is limited to the price of the particular products/services sold hereunder, and Contractor agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. In no event will Contractor be liable for any loss of use, loss of time, inconvenience, commercial loss, loss of profits or savings or other incidental, special or consequential damages to the full extent such use may be disclaimed by law. Contractor understands and agrees that it shall be liable to repay and shall repay upon demand to

END USER any amounts determined by H-GAC, its independent auditors, or any agency of State or Federal government to have been paid in violation of the terms of this Agreement.

**ARTICLE 23: TITLES NOT RESTRICTIVE**

The titles assigned to the various Articles of this Agreement are for convenience only. Titles shall not be considered restrictive of the subject matter of any Article, or part of this Agreement.

**ARTICLE 24: JOINT WORK PRODUCT**

This Agreement is the joint work product of H-GAC and the Contractor. This Agreement has been negotiated by H-GAC and the Contractor and their respective counsel and shall be fairly interpreted in accordance with its terms and, in the event of any ambiguities, no inferences shall be drawn against any party.

**ARTICLE 25: DISPUTES**

All disputes concerning questions of fact or of law arising under this Agreement, which are not addressed within the Whole Agreement as defined pursuant to Article 4 hereof, shall be decided by the Executive Director of H-GAC or his designee, who shall reduce his decision to writing and provide notice thereof to the Contractor. The decision of the Executive Director or his designee shall be final and conclusive unless, within thirty (30) days from the date of receipt of such notice, the Contractor requests a rehearing from the Executive Director of H-GAC. In connection with any rehearing under this Article, the Contractor shall be afforded an opportunity to be heard and offer evidence in support of its position. The decision of the Executive Director after any such rehearing shall be final and conclusive. The Contractor may, if it elects to do so, appeal the final and conclusive decision of the Executive Director to a court of competent jurisdiction. Pending final decision of a dispute hereunder, the Contractor shall proceed diligently with the performance of the Agreement and in accordance with H-GAC's final decision.

**ARTICLE 26: CHOICE OF LAW: VENUE**

This Agreement shall be governed by the laws of the State of Texas. Venue and jurisdiction of any suit or cause of action arising under or in connection with the Agreement shall lie exclusively in Harris County, Texas. Disputes between END USER and Contractor are to be resolved in accordance with the law and venue rules of the state of purchase. Contractor shall immediately notify H-GAC of such disputes.

**ARTICLE 27: ORDER OF PRIORITY**

In the case of any conflict between or within this Agreement, the following order of priority shall be utilized: 1) General Provisions, 2) Special Provisions, 3) Scope of Work, and, 4) Other Attachments.

**SIGNATURES:**

H-GAC and the Contractor have read, agreed, and executed the whole Agreement as of the date first written above, as accepted by:

**Halcore Group, Inc**

Signature   
173B16732012415...

Name Randy Barr

Title Brand Manager

Date 12/21/2020

**H-GAC** DocuSigned by:

Signature   
82EC270D5D61423...

Name Chuck Wemple

Title Executive Director

Date 12/21/2020

# H-GAC

Houston-Galveston Area Council  
P.O. Box 22777 · 3555 Timmons · Houston, Texas 77227-2777

Cooperative Agreement - Halcore Group Inc - Public Services -

20-01183

## SPECIAL PROVISIONS

Incorporated by attachment, as part of the whole agreement, H-GAC and the Contractor do, hereby agree to the Special Provisions as follows:

### **ARTICLE 1: BIDS/PROPOSALS INCORPORATED**

In addition to the whole Agreement, the following documents listed in order of priority are incorporated into the Agreement by reference: Bid/Proposal Specifications and Contractor's Response to the Bid/Proposal.

### **ARTICLE 2: END USER AGREEMENTS ("EUA")**

**H-GAC** acknowledges that the **END USER** may choose to enter into an End User Agreement ("EUA") with the **Contractor** through this Agreement, and that the term of the EUA may exceed the term of the current **H-GAC** Agreement. **H-GAC's** acknowledgement is not an endorsement or approval of the End User Agreement's terms and conditions. **Contractor** agrees not to offer, agree to or accept from the **END USER**, any terms or conditions that conflict with those in **Contractor's** Agreement with **H-GAC**. **Contractor** affirms that termination of its Agreement with H-GAC for any reason shall not result in the termination of any underlying EUA, which shall in each instance, continue pursuant to the EUA's stated terms and duration. Pursuant to the terms of this Agreement, termination of this Agreement will disallow the **Contractor** from entering into any new EUA with **END USERS**. Applicable **H-GAC** order processing charges will be due and payable to **H-GAC** on any EUAs, surviving termination of this Agreement between **H-GAC** and **Contractor**.

### **ARTICLE 3: MOST FAVORED CUSTOMER CLAUSE**

**Contractor** shall provide its most favorable pricing and terms to H-GAC. If at any time during this Agreement, **Contractor** develops a regularly followed standard procedure of entering into agreements with other governmental customers within the State of Texas, and offers the same or substantially the same products/services offered to **H-GAC** on a basis that provides prices, warranties, benefits, and or terms more favorable than those provided to **H-GAC**, **Contractor** shall notify **H-GAC** within ten (10) business days thereafter, and this Agreement shall be deemed to be automatically retroactively amended, to the effective date of **Contractor's** most favorable past agreement with another entity. **Contractor** shall provide the same prices, warranties, benefits, or terms to **H-GAC** and its **END USER** as provided in its most favorable past agreement. **H-GAC** shall have the right and option at any time to decline to accept any such change, in which case the amendment shall be deemed null and void. If **Contractor** claims that a more favorable price, warranty, benefit, or term that was charged or offered to another entity during the term of this Agreement, does not constitute more favorable treatment, than **Contractor** shall, within ten (10) business days, notify **H-GAC** in writing, setting forth the detailed reasons **Contractor** believes the aforesaid offer is not in fact most favored treatment. **H-GAC**, after due consideration of **Contractor's** written explanation, may decline to accept such explanation and thereupon this Agreement between **H-GAC** and **Contractor** shall be automatically amended, effective retroactively, to the effective date of the most favored agreement, to provide the same prices, warranties,

benefits, or terms to H-GAC and the END USER.

***EXCEPTION:** This clause shall not be applicable to prices and price adjustments offered by a bidder, Proposer or contractor, which are not within bidder's/proposer's control [example; a manufacturer's bid concession], or to any prices offered to the Federal Government and its agencies.*

#### **ARTICLE 4: PARTY LIABILITY**

Contractor's total liability under this Agreement, whether for breach of contract, warranty, negligence, strict liability, in tort or otherwise, is limited to the price of the particular products/services sold hereunder. Contractor agrees either to refund the purchase price or to repair or replace product(s) that are not as warranted. Contractor accepts liability to repay, and shall repay upon demand to END USER, any amounts determined by H-GAC, its independent auditors, or any state or federal agency, to have been paid in violation of the terms of this Agreement.

#### **ARTICLE 5: GOVERNING LAW & VENUE**

Contractor and H-GAC agree that Contractor will make every reasonable effort to resolve disputes with the **END USER** in accord with the law and venue rules of the state of purchase. **Contractor** shall immediately notify **H-GAC** of such disputes.

#### **ARTICLE 6: SALES AND ORDER PROCESSING CHARGE**

**Contractor** shall sell its products to **END USERS** based on the pricing and terms of this Agreement. **H-GAC** will invoice **Contractor** for the applicable order processing charge when H-GAC receives notification of an END USER order. **Contractor shall remit to H-GAC** the full amount of the applicable order processing charge, after delivery of any product or service and subsequent END USER acceptance. Payment of the Order Processing Charge shall be remitted from Contractor to H-GAC, within thirty (30) calendar days or ten (10) business days after receipt of an END USER's payment, whichever comes first, notwithstanding Contractor's receipt of invoice. For sales made by **Contractor** based on this Agreement, including sales to entities without Interlocal Agreements, **Contractor** shall pay the applicable order processing charges to **H-GAC**. Further, **Contractor** agrees to encourage entities who are not members of H-GAC's Cooperative Purchasing Program to execute an **H-GAC** Interlocal Agreement. **H-GAC** reserves the right to take appropriate actions including, but not limited to, Agreement termination if **Contractor** fails to promptly remit the appropriate order processing charge to H-GAC. In no event shall **H-GAC** have any liability to **Contractor** for any goods or services an **END USER** procures from **Contractor**. At all times, **Contractor** shall remain liable to pay to **H-GAC** any order processing charges on any portion of the Agreement actually performed, and for which compensation was received by **Contractor**.

#### **ARTICLE 7: LIQUIDATED DAMAGES**

Contractor and H-GAC agree that Contractor shall cooperate with the END USER at the time an END USER purchase order is placed, to determine terms for any liquidated damages.

#### **ARTICLE 8: INSURANCE**

Unless otherwise stipulated in Section B of the Bid/Proposal Specifications, **Contractor** must have the following insurance and coverage minimums:

- a. **General liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General

Aggregate limit of at least two times the Single Occurrence limit.

**Product liability** insurance with a Single Occurrence limit of at least \$1,000,000.00, and a General Aggregate limit of at least two times the Single Occurrence limit for all Products except Automotive Fire Apparatus. For Automotive Fire Apparatus, see Section B of the Bid/Proposal Specifications.

**Property Damage or Destruction** insurance is required for coverage of **End User** owned equipment while in **Contractor's** possession, custody or control. The minimum Single Occurrence limit is \$500,000.00 and the General Aggregate limit must be at least two times the Single Occurrence limit. This insurance may be carried in several ways, e.g. under an Inland Marine policy, as art of Automobile coverage, or under a Garage Keepers policy. In any event, this coverage must be specifically and clearly listed on insurance certificate(s) submitted to **H-GAC**.

- b. Insurance coverage shall be in effect for the length of any contract made pursuant to the Bid/Proposal, and for any extensions thereof, plus the number of days/months required to *deliver* any outstanding order after the close of the contract period.
- c. Original Insurance Certificates must be furnished to **H-GAC** on request, showing **Contractor** as the insured and showing coverage and limits for the insurances listed above.
- d. If any Product(s) or Service(s) will be provided by parties other than **Contractor**, all such parties are required to carry the minimum insurance coverages specified herein, and if requested by **H-GAC**, a separate insurance certificate must be submitted for each such party.
- e. **H-GAC** reserves the right to contact insurance underwriters to confirm policy and certificate issuance and document accuracy.

## **ARTICLE 9: PERFORMANCE AND PAYMENT BONDS FOR INDIVIDUAL ORDERS**

**H-GAC's** contractual requirements DO NOT include a Performance & Payment Bond (PPB); therefore, Contractor shall offer pricing that reflects this cost savings. **Contractor** shall remain prepared to offer a PPB to cover any order if so requested by the **END USER**. **Contractor** shall quote a price to **END USER** for provision of any requested PPB, and agrees to furnish the PPB within ten business (10) days of receipt of **END USER's** purchase order.

## **ARTICLE 10: CHANGE OF STATUS**

**Contractor** shall immediately notify **H-GAC**, in writing, of **ANY** change in ownership, control, dealership/franchisee status, Motor Vehicle license status, or name. Contractor shall offer written guidance to advise H-GAC if this Agreement shall be affected in any way by such change. **H-GAC** shall have the right to determine whether or not such change is acceptable, and to determine what action shall be warranted, up to and including cancellation of Agreement.

## **ARTICLE 11: TEXAS MOTOR VEHICLE BOARD LICENSING**

All that deal in motor vehicles shall maintain current licenses that are required by the Texas Motor Vehicle Commission Code. If at any time during this Agreement term, any required **Contractor** license is denied, revoked, or not renewed, **Contractor** shall be in default of this Agreement, unless the Texas Motor Vehicle

Board issues a stay or waiver. Contractor shall promptly provide copies of all current applicable Texas Motor Vehicle Board documentation to **H-GAC** upon request.

**Attachment A**  
**Halcore Group Inc.**  
**Ambulances, EMS & Other Special Service Vehicles**  
**Contract No.: AM10-20**

**A. American Emergency Vehicles**

**\*\*These units can only be sold outside Texas\*\***

AM20AA01	TYPE I, FORD F350 TRAUMAHAWK DR92	\$145,276.00
AM20AA02	TYPE I, FORD F350 TRAUMAHAWK 148"	\$152,719.00
AM20AA03	TYPE I, FORD F450 TRAUMAHAWK 172"	\$170,780.00
AM20AA04	TYPE I, FORD F550 TRAUMAHAWK 172"	\$173,419.00
AM20AA05	TYPE I, DODGE RAM 4500 TRAUMAHAWK	\$169,685.00
AM20AA06	TYPE I, DODGE RAM 5500 TRAUMAHAWK	\$173,064.00
AM20AA08	TYPE II SPRINTER T-VERSE 02	\$87,795.00
AM20AA10	TYPE II SPRINTER 4X4 REAR HORIZONTAL 02	\$98,323.00
AM20AA12	TYPE II TRANSIT SILVER MED ROOF (GAS)	\$85,061.00
AM20AA14	TYPE II TRANSIT MED ROOF PLATINUM (GAS)	\$87,141.00
AM20AA18	TYPE II TRANSIT HIGH ROOF PLATINUM (GAS)	\$89,464.00
AM20AA20	TYPE II TRANSIT MED ROOF GOLD (GAS)	\$85,959.00
AM20AA22	TYPE II TRANSIT HIGH ROOF GOLD (GAS)	\$88,282.00
AM20AA24	TYPE III, SPRINTER DR86	\$127,620.00
AM20AA25	TYPE III, FORD E350 (GAS) TRAUMAHAWK DR92	\$118,375.00
AM20AA26	TYPE III, FORD E350 (GAS) TRAUMAHAWK 148"	\$134,630.00
AM20AA27	TYPE III, FORD E450 (GAS) TRAUMAHAWK 164"	\$139,420.00
AM20AA28	TYPE III, FORD E450 (GAS) TRAUMAHAWK Z-5 164"	\$136,912.00
AM20AA29	TYPE III, FORD E350 FLEETHAWK	\$111,259.00
AM20AA30	TYPE I, GM/CHEVROLET C4500 148"	\$177,674.00
AM20AA31	TYPE I, GM/CHEVROLET C4500 154"	\$179,051.00
AM20AA32	TYPE I, GM/CHEVROLET C4500 172"	\$184,261.00

**E. Remounts (See Section B, p. 8 Items 17-20 for specifics regarding "Remount" pricing)**

AM20AE01	GM G3500 (GAS) TYPE III BASE AMBULANCE REMOUNT	\$78,828.00
AM20AE02	GM G4500 (GAS) TYPE III BASE AMBULANCE REMOUNT	\$81,142.00
AM20AE03	FORD E350 GAS TYPE III BASE AMBULANCE REMOUNT	\$72,206.00
AM20AE04	FORD E450 GAS TYPE III BASE AMBULANCE REMOUNT	\$74,466.00
AM20AE05	FORD F350 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$84,340.00
AM20AE06	FORD F450 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$94,333.00
AM20AE07	FORD F550 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$96,237.00
AM20AE08	DODGE RAM 4500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$95,271.00
AM20AE09	DODGE RAM 5500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$97,173.00
AM20AE10	GM/CHEVROLET C4500 4X2 TYPE I BASE AMBULANCE REMOUNT	\$91,800.00

**K. Horton**

**\*\*These units can only be sold outside Texas\*\***

<b>A. Ambulance</b>		
AM20KA01	TYPE I, FORD F350, MODEL 453	\$182,396.00
AM20KA02	TYPE I, FORD F450, MODEL 453	\$185,165.00
AM20KA03	TYPE I, DODGE RAM 4500, MODEL 453	\$185,326.00
AM20KA04	TYPE I, FORD F450, MODEL 457	\$189,988.00
AM20KA05	TYPE I, DODGE RAM 4500 457	\$189,120.00
AM20KA06	TYPE I, FORD F450, MODEL 603	\$187,018.00
AM20KA07	TYPE I, FORD F550, MODEL 603	\$188,104.00
AM20KA08	TYPE I, DODGE RAM 4500 MODEL 603	\$186,989.00
AM20KA09	TYPE I, DODGE RAM 5500 MODEL 603	\$186,964.00
AM20KA10	TYPE I, FORD F450, MODEL 623	\$189,012.00
AM20KA11	TYPE I, FORD F550, MODEL 623	\$190,097.00
AM20KA12	TYPE I, DODGE RAM 4500 MODEL 623	\$188,857.00
AM20KA13	TYPE I, DODGE RAM 5500 MODEL 623	\$188,832.00
AM20KA14	TYPE I, NAVISTAR 4300 MODEL 623	\$207,050.00
AM20KA15	TYPE I, FREIGHTLINER M2 MODEL 623	\$206,634.00
AM20KA16	TYPE III, FORD E350 (GAS), MODEL 453	\$156,623.00
AM20KA17	TYPE III, GM G3500 (GAS), MODEL 453	\$151,222.00
AM20KA18	TYPE III, FORD E450 (GAS), MODEL 533	\$158,844.00
AM20KA19	TYPE III, FORD E450 (GAS), MODEL 553	\$159,710.00
AM20KA20	TYPE III, GM G4500 (GAS), MODEL 553	\$152,412.00
AM20KA22	TYPE I, GM/CHEVROLET C4500 MODEL 457	\$190,994.00
AM20KA23	TYPE I, GM/CHEVROLET C4500 MODEL 603	\$187,955.00
AM20KA24	TYPE I, GM/CHEVROLET C4500 MODEL 623	\$189,949.00
<b>E. Remounts (See Section B, p. 8 Items for specifics regarding "Remount" pricing)</b>		
AM20KE01	GM G3500 (GAS) TYPE III BASE AMBULANCE REMOUNT	\$78,828.00
AM20KE02	GM G4500 (GAS)TYPE III BASE AMBULANCE REMOUNT	\$81,142.00
AM20KE03	FORD E350 (GAS) TYPE III BASE AMBULANCE REMOUNT	\$72,206.00
AM20KE04	FORD E450 (GAS) TYPE III BASE AMBULANCE REMOUNT	\$74,466.00
AM20KE05	FORD F350 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$84,340.00
AM20KE06	FORD F450 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$94,333.00
AM20KE07	FORD F550 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$96,237.00
AM20KE08	DODGE RAM 4500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$95,271.00
AM20KE09	DODGE RAM 5500 4X2 DIESEL TYPE I BASE AMBULANCE REMOUNT	\$97,173.00
AM20KE10	GM/CHEVROLET C4500 4X2 TYPE I BASE AMBULANCE REMOUNT	\$91,800.00